

**PRICE LIST - EFFECTIVE FROM 1st JAN 2021**
**FLAT CABLE HEADERS WITH LONG LATCHES SERIES 'P' [ 8536 ]**

|                                                                                   | NO. OF<br>WAYS                   | ORDERING CODE | PRICE EACH<br>(RS.) |                                                                                    | ORDERING<br>CODE                    | PRICE EACH<br>(RS.) |
|-----------------------------------------------------------------------------------|----------------------------------|---------------|---------------------|------------------------------------------------------------------------------------|-------------------------------------|---------------------|
|  | <b><u>STRAIGHT TERMINALS</u></b> |               |                     |  | <b><u>RIGHT ANGLE TERMINALS</u></b> |                     |
|                                                                                   | 10 Way                           | PH10SL2P      | 18.00               |                                                                                    | PH10AL2P                            | 19.50               |
|                                                                                   | 14 Way                           | PH14SL2P      | 20.50               |                                                                                    | PH14AL2P                            | 22.25               |
|                                                                                   | 16 Way                           | PH16SL2P      | 21.00               |                                                                                    | PH16AL2P                            | 23.50               |
|                                                                                   | 20 Way                           | PH20SL2P      | 24.75               |                                                                                    | PH20AL2P                            | 26.75               |
|                                                                                   | 26 Way                           | PH26SL2P      | 28.75               |                                                                                    | PH26AL2P                            | 30.00               |
|                                                                                   | 34 Way                           | PH34SL2P      | 35.25               |                                                                                    | PH34AL2P                            | 37.00               |
|                                                                                   | 40 Way                           | PH40SL2P      | 40.00               |                                                                                    | PH40AL2P                            | 42.75               |
|                                                                                   | 50 Way                           | PH50SL2P      | 47.00               |                                                                                    | PH50AL2P                            | 49.00               |
|                                                                                   | 60 Way                           | PH60SL2P      | 53.75               |                                                                                    | PH60AL2P                            | 61.00               |
|                                                                                   | 64 Way                           | PH64SL2P      | 61.00               |                                                                                    | PH64AL2P                            | 67.50               |

**BOX HEADERS – SERIES 'P' [ 8536 ]**

|                                                                                    | <b><u>STRAIGHT TERMINALS</u></b> |         |       |                                                                                     | <b><u>RIGHT ANGLE TERMINALS</u></b> |       |
|------------------------------------------------------------------------------------|----------------------------------|---------|-------|-------------------------------------------------------------------------------------|-------------------------------------|-------|
|  | 10 Way                           | PB10S2P | 14.75 |  | PB10A2P                             | 16.50 |
|                                                                                    | 14 Way                           | PB14S2P | 18.00 |                                                                                     | PB14A2P                             | 19.50 |
|                                                                                    | 16 Way                           | PB16S2P | 19.00 |                                                                                     | PB16A2P                             | 20.75 |
|                                                                                    | 20 Way                           | PB20S2P | 22.00 |                                                                                     | PB20A2P                             | 23.00 |
|                                                                                    | 26 Way                           | PB26S2P | 27.25 |                                                                                     | PB26A2P                             | 28.75 |
|                                                                                    | 34 Way                           | PB34S2P | 31.00 |                                                                                     | PB34A2P                             | 32.50 |
|                                                                                    | 40 Way                           | PB40S2P | 37.75 |                                                                                     | PB40A2P                             | 39.00 |
|                                                                                    | 50 Way                           | PB50S2P | 43.75 |                                                                                     | PB50A2P                             | 45.50 |
|                                                                                    | 60 Way                           | PB60S2P | 51.75 |                                                                                     | PB60A2P                             | 56.50 |

**BOX HEADER (LOW PROFILE) SERIES 'P' [ 8536 ]**

|                                                                                     | <b><u>STRAIGHT TERMINALS</u></b> |          |       |                                                                                      | <b><u>RIGHT ANGLE TERMINALS</u></b> |       |
|-------------------------------------------------------------------------------------|----------------------------------|----------|-------|--------------------------------------------------------------------------------------|-------------------------------------|-------|
|  | 10 Way                           | PBL10S2M | 12.75 |  | PBL10A2M                            | 14.00 |
|                                                                                     | 14 Way                           | PBL14S2M | 15.00 |                                                                                      | PBL14A2M                            | 17.00 |
|                                                                                     | 16 Way                           | PBL16S2M | 16.25 |                                                                                      | PBL16A2M                            | 19.75 |
|                                                                                     | 20 Way                           | PBL20S2M | 19.50 |                                                                                      | PBL20A2M                            | 20.25 |
|                                                                                     | 26 Way                           | PBL26S2M | 22.75 |                                                                                      | PBL26A2M                            | 26.25 |
|                                                                                     | 34 Way                           | PBL34S2M | 28.00 |                                                                                      | PBL34A2M                            | 32.00 |
|                                                                                     | 40 Way                           | PBL40S2M | 32.50 |                                                                                      | PBL40A2M                            | 36.50 |
|                                                                                     | 50 Way                           | PBL50S2M | 38.50 |                                                                                      | PBL50A2M                            | 43.25 |
|                                                                                     | 60 Way                           | PBL60S2M | 46.00 |                                                                                      | PBL60A2M                            | 52.25 |

**FLAT CABLE SOCKETS WITH STRAIN RELIEF SERIES 'P' [ 8536 ]**

|                                                                                     |        |        |       |  |
|-------------------------------------------------------------------------------------|--------|--------|-------|--|
|  | 10 Way | PS10R2 | 14.00 |  |
|                                                                                     | 14 Way | PS14R2 | 14.25 |  |
|                                                                                     | 16 Way | PS16R2 | 15.00 |  |
|                                                                                     | 20 Way | PS20R2 | 18.00 |  |
|                                                                                     | 26 Way | PS26R2 | 20.50 |  |
|                                                                                     | 34 Way | PS34R2 | 25.50 |  |
|                                                                                     | 40 Way | PS40R2 | 31.25 |  |
|                                                                                     | 50 Way | PS50R2 | 36.50 |  |
|                                                                                     | 60 Way | PS60R2 | 44.75 |  |
|                                                                                     | 64 Way | PS64R2 | 68.75 |  |



An ISO 9001:2015 Company

## ESSEN DEINKI

22, Industrial Area, Phase-II, Chandigarh-160001

Tel: 0172-2653111-115, Fax: 0172-2653106

Email: info@essendeinki.com, Website: www.essendeinki.com

### PRICE LIST - EFFECTIVE FROM 1st JAN 2021

#### ESSEN ECONOMY HEADERS 'EE SERIES' [ 8536 ]

|                                                                                   | NO. OF<br>WAYS | ORDERING<br>CODE | PRICE<br>EACH<br>(RS.) |                                                                                    | ORDERING<br>CODE | PRICE<br>EACH<br>(RS.) |
|-----------------------------------------------------------------------------------|----------------|------------------|------------------------|------------------------------------------------------------------------------------|------------------|------------------------|
| <b>STRAIGHT TERMINALS</b>                                                         |                |                  |                        | <b>RIGHT ANGLE TERMINALS</b>                                                       |                  |                        |
|  | 10 Way         | EEH10SL          | 11.50                  |  | EEH10AL          | 13.50                  |
|                                                                                   | 14 Way         | EEH14SL          | 13.00                  |                                                                                    | EEH14AL          | 15.00                  |
|                                                                                   | 16 Way         | EEH16SL          | 14.00                  |                                                                                    | EEH16AL          | 17.50                  |
|                                                                                   | 20 Way         | EEH20SL          | 16.25                  |                                                                                    | EEH20AL          | 18.25                  |
|                                                                                   | 26 Way         | EEH26SL          | 20.25                  |                                                                                    | EEH26AL          | 22.25                  |
|                                                                                   | 34 Way         | EEH34SL          | 23.75                  |                                                                                    | EEH34AL          | 26.25                  |
|                                                                                   | 40 Way         | EEH40SL          | 29.00                  |                                                                                    | EEH40AL          | 30.50                  |
|                                                                                   | 50 Way         | EEH50SL          | 32.00                  |                                                                                    | EEH50AL          | 36.50                  |
|                                                                                   | 60 Way         | EEH60SL          | 41.75                  |                                                                                    | EEH60AL          | 47.00                  |
|                                                                                   | 64 Way         | EEH64SL          | 46.75                  |                                                                                    | EEH64AL          | 49.50                  |

#### ESSEN ECONOMY FLAT CABLE SOCKETS 'EE SERIES' [ 8536 ]

|                                                                                     |        |        |       |  |
|-------------------------------------------------------------------------------------|--------|--------|-------|--|
|  | 10 Way | EES10R | 5.00  |  |
|                                                                                     | 14 Way | EES14R | 5.50  |  |
|                                                                                     | 16 Way | EES16R | 6.00  |  |
|                                                                                     | 20 Way | EES20R | 6.75  |  |
|                                                                                     | 26 Way | EES26R | 7.50  |  |
|                                                                                     | 34 Way | EES34R | 9.25  |  |
|                                                                                     | 40 Way | EES40R | 10.00 |  |
|                                                                                     | 50 Way | EES50R | 16.00 |  |
|                                                                                     | 60 Way | EES60R | 18.00 |  |
|                                                                                     | 64 Way | EES64R | 19.25 |  |



An ISO 9001:2015 Company


## ESSEN DEINKI

22, Industrial Area, Phase-II, Chandigarh-160002

Tel: 0172-2653111-115, Fax: 0172-2653106

Email: info@essendeinki.com, Website: www.essendeinki.com

### PRICE LIST - EFFECTIVE FROM 1st JAN 2021

|                                                                                     | DESCRIPTION [ 8536 ]                      | ORDERING CODE               | PRICE EACH (RS.) | ORDERING CODE                       | PRICE EACH (RS.) |
|-------------------------------------------------------------------------------------|-------------------------------------------|-----------------------------|------------------|-------------------------------------|------------------|
| <b>COMPONENT SUPPORTS – SERIES ‘859’</b>                                            |                                           |                             |                  |                                     |                  |
|    |                                           | <b><u>TIN PLATED</u></b>    |                  | <b><u>GOLD PLATED</u></b>           |                  |
|                                                                                     | 36 Pin, 0.6mm Dia                         | 8590104063601               | 57.00            | 8590103063601                       | 83.25            |
|                                                                                     | 36 Pin, 0.8mm Dia                         | 8590104083601               | 65.25            | 8590103083601                       | 94.75            |
| <b>STRIP HEADERS – SERIES ‘853-00’</b>                                              |                                           |                             |                  |                                     |                  |
|    |                                           | <b><u>TIN PLATED</u></b>    |                  | <b><u>SELECTIVE GOLD PLATED</u></b> |                  |
|                                                                                     | 40 Pin, Single Row, Straight              | 85300140ST                  | 15.00            | 85300140SS                          | 24.50            |
|                                                                                     | 40 Pin, Double Row, Straight              | 85300240ST                  | 30.00            | 85300240SS                          | 49.00            |
|                                                                                     | 40 Pin, Single Row, Right Angle           | 85300140AT                  | 16.25            | 85300140AS                          | 25.50            |
|                                                                                     | 40 Pin, Double Row, Right Angle           | 85300240AT                  | 32.50            | 85300240AS                          | 51.00            |
| <b>SHUNTS – SERIES ‘853-02’</b>                                                     |                                           |                             |                  |                                     |                  |
|   |                                           | <b><u>TIN PLATED</u></b>    |                  | <b><u>GOLD PLATED</u></b>           |                  |
|                                                                                     | Open Type, Black Colour                   | 853020501T                  | 1.50             | 853020501G                          | 2.25             |
|                                                                                     | Close Type, Black Colour                  | 853020601T                  | 1.50             | 853020601G                          | 2.25             |
|                                                                                     | <b>CARRY HAND SHUNT– SERIES ‘853-02H’</b> |                             |                  |                                     |                  |
|                                                                                     | Close Type, Black Colour                  | 85302H0601T                 | 2.75             | 85302H0601G                         | 3.50             |
| <b>FEMALE CONNECTORS – SERIES ‘853-03’</b>                                          |                                           |                             |                  |                                     |                  |
|  |                                           | <b><u>STRAIGHT PINS</u></b> |                  | <b><u>RIGHT ANGLE PINS</u></b>      |                  |
|                                                                                     | 40 Pin, Single Row, Gold Plated           | 85303140SG                  | 68.50            | 85303140AG                          | 76.75            |
|                                                                                     | 40 Pin, Double Row, Gold Plated           | 85303240SG                  | 137.00           | 85303240AG                          | 153.50           |
| <b>DIP CONNECTORS SERIES ‘CD’</b>                                                   |                                           |                             |                  |                                     |                  |
|  |                                           | <b><u>TIN PLATED</u></b>    |                  | <b><u>GOLD PLATED</u></b>           |                  |
|                                                                                     | 14 Way                                    | CD14                        | 22.50            | CD14G                               | 33.75            |
|                                                                                     | 16 Way                                    | CD16                        | 24.75            | CD16G                               | 39.75            |
|                                                                                     | 24 Way                                    | CD24                        | 35.75            | CD24G                               | 56.50            |
|                                                                                     | 28 Way                                    | CD28                        | 44.50            | CD28G                               | 66.25            |
|                                                                                     | 40 Way                                    | CD40                        | 62.00            | CD40G                               | 94.50            |
| <b>TRANSITION CONNECTORS – SERIES ‘883’ (Suitable For 1.6mm Thick PCB)</b>          |                                           |                             |                  |                                     |                  |
|  |                                           | <b><u>TIN PLATED</u></b>    |                  | <b><u>GOLD PLATED</u></b>           |                  |
|                                                                                     | 10 Way                                    | 883101T                     | 20.25            | 883101G                             | 27.00            |
|                                                                                     | 26Way                                     | 883261T                     | 50.50            | 883261G                             | 71.00            |
|                                                                                     | 34 Way                                    | 883341T                     | 67.00            | 883341G                             | 92.75            |
|                                                                                     | 50 Way                                    | 883501T                     | 98.50            | 883501G                             | 135.25           |



An ISO 9001:2015 Company


## ESSEN DEINKI

22, Industrial Area, Phase-II, Chandigarh-160002



Tel: 0172-2653111-115, Fax: 0172-2653106

Email: info@essendeinki.com, Website: www.essendeinki.com

### PRICE LIST - EFFECTIVE FROM 1st JAN 2021

|                                                                                                                         | DESCRIPTION [ 8538 ]                | ORDERING CODE   | PRICE EACH (RS.) |
|-------------------------------------------------------------------------------------------------------------------------|-------------------------------------|-----------------|------------------|
| <b>CENTRE CRIMP TERMINAL HOUSING – SERIES ‘853-05’</b>                                                                  |                                     |                 |                  |
|                                        | 40 Way, Single Row                  | 85305140        | 33.75            |
|                                                                                                                         | 40 Way, Double Row                  | 85305240        | 67.50            |
|                                        | Crimp Pins                          | 853CS           | 2.75             |
| <b>HEADER – SERIES ‘878’ Pitch 3.96mm HSN 8536</b>                                                                      |                                     |                 |                  |
|                                        | 12 Way, Straight Header, Tin Plated | 878P12ST        | 22.50            |
| <b>PCB TERMINAL BLOCKS Pitch 5.00mm</b>                                                                                 |                                     | <b>HSN 8536</b> |                  |
|                                      | 2 Way Straight Terminals            | 881-50-G-20001  | 12.75            |
|                                                                                                                         | 3 Way Straight Terminals            | 881-50-G-30001  | 19.50            |
|                                                                                                                         | 2 Way Right Angle Terminals         | 881-55-G-20001  | 20.50            |
|                                                                                                                         | 3 Way Right Angle Terminals         | 881-55-G-30001  | 27.75            |
| <b>PLUG IN TERMINAL BLOCKS WITH SCREW CONNECTION (SERIES ‘882’) &amp; HEADERS (SERIES ‘882H’), Pitch 5.0mm HSN 8536</b> |                                     |                 |                  |
|                                      | 2 Way Plug in Terminal Block        | 882-1-G-02      | 34.50            |
|                                                                                                                         | 4 Way Plug in Terminal Block        | 882-1-G-04      | 73.50            |
|                                                                                                                         | 6 Way Plug in Terminal Block        | 882-1-G-06      | 104.00           |
|                                                                                                                         | 2 Way Straight Header               | 882H-1-02-SS50  | 17.25            |
|                                                                                                                         | 4 Way Straight Header               | 882H-1-04-SS50  | 29.25            |
|                                                                                                                         | 6 Way Straight Header               | 882H-1-06-SS50  | 37.75            |

**PRICE LIST - EFFECTIVE FROM 1st JAN 2021**

|                                                                                                                 | DESCRIPTION<br>[ 8536 ] | ORDERING<br>CODE               | PRICE<br>EACH<br>(RS.) | ORDERING<br>CODE | PRICE<br>EACH<br>(RS.) | ORDERING<br>CODE                                                             | PRICE<br>EACH<br>(RS.) | ORDERING<br>CODE | PRICE<br>EACH<br>(RS.) |
|-----------------------------------------------------------------------------------------------------------------|-------------------------|--------------------------------|------------------------|------------------|------------------------|------------------------------------------------------------------------------|------------------------|------------------|------------------------|
| <b>D-SUB CONNECTORS – SOLDER<br/>BUCKET</b>                                                                     |                         | SELECTIVE GOLD PLATED CONTACTS |                        |                  |                        | SELECTIVE GOLD PLATED CONTACTS WITH<br>TIN PLATED SHELL ( MALE DIMPLE SHELL) |                        |                  |                        |
|                                                                                                                 |                         | MALE                           |                        | FEMALE           |                        | MALE                                                                         |                        | FEMALE           |                        |
|                                | 9 Way                   | M09P114                        | 16.25                  | M09S114          | 17.75                  | M09P114TD                                                                    | 17.75                  | M09S114T         | 18.75                  |
|                                                                                                                 | 15 Way                  | M15P114                        | 20.50                  | M15S114          | 24.75                  | M15P114TD                                                                    | 22.00                  | M15S114T         | 24.75                  |
|                                                                                                                 | 25 Way                  | M25P114                        | 29.00                  | M25S114          | 39.00                  | M25P114TD                                                                    | 30.00                  | M25S114T         | 42.00                  |
|                                                                                                                 | 37 Way                  | M37P114                        | 40.50                  | M37S114          | 50.50                  | M37P114TD                                                                    | 42.00                  | M37S114T         | 52.00                  |
|                                                                                                                 | 50 Way                  | M50P114                        | 52.00                  | M50S114          | 62.00                  | M50P114TD                                                                    | 55.00                  | M50S114T         | 65.00                  |
| <b>D-SUB CONNECTORS –<br/>PC STRAIGHT</b>                                                                       |                         | MALE                           |                        | FEMALE           |                        | MALE                                                                         |                        | FEMALE           |                        |
|                                                                                                                 |                         | MALE                           |                        | FEMALE           |                        | MALE                                                                         |                        | FEMALE           |                        |
|                               | 9 Way                   | M09P124                        | 22.00                  | M09S124          | 27.25                  | M09P124TD                                                                    | 24.75                  | M09S124T         | 29.00                  |
|                                                                                                                 | 15 Way                  | M15P124                        | 30.00                  | M15S124          | 37.75                  | M15P124TD                                                                    | 33.25                  | M15S124T         | 40.50                  |
|                                                                                                                 | 25 Way                  | M25P124                        | 46.00                  | M25S124          | 59.00                  | M25P124TD                                                                    | 49.50                  | M25S124T         | 62.00                  |
|                                                                                                                 | 37 Way                  | M37P124                        | 65.00                  | M37S124          | 82.00                  | M37P124TD                                                                    | 68.00                  | M37S124T         | 88.00                  |
|                                                                                                                 | 50 Way                  | M50P124                        | 101.00                 | M50S124          | 115.50                 | M50P124TD                                                                    | 107.00                 | M50S124T         | 121.00                 |
| <b>D-SUB CONNECTORS –<br/>PC RIGHT ANGLE,<br/>(8.10mm Foot Print with 4-40 UNC Screws &amp; Board<br/>Lock)</b> |                         | MALE                           |                        | FEMALE           |                        | MALE                                                                         |                        | FEMALE           |                        |
|                                                                                                                 |                         | MALE                           |                        | FEMALE           |                        | MALE                                                                         |                        | FEMALE           |                        |
|                              | 9 Way                   | C09P1XY                        | 40.50                  | C09S1XY          | 42.00                  | C09P1XYTD                                                                    | 42.00                  | C09S1XYT         | 43.25                  |
|                                                                                                                 | 15 Way                  | C15P1XY                        | 49.25                  | C15S1XY          | 52.00                  | C15P1XYTD                                                                    | 52.00                  | C15S1XYT         | 56.25                  |
|                                                                                                                 | 25 Way                  | C25P1XY                        | 65.00                  | C25S1XY          | 68.00                  | C25P1XYTD                                                                    | 68.00                  | C25S1XYT         | 74.00                  |
|                                                                                                                 | 37 Way                  | C37P1XY                        | 104.00                 | C37S1XY          | 108.25                 | C37P1XYTD                                                                    | 108.25                 | C37S1XYT         | 114.00                 |
| <b>IDC D-SUB CONNECTORS, LOW<br/>PROFILE with Strain Relief</b>                                                 |                         | MALE                           |                        | FEMALE           |                        | MALE                                                                         |                        | FEMALE           |                        |
|                                                                                                                 |                         | MALE                           |                        | FEMALE           |                        | MALE                                                                         |                        | FEMALE           |                        |
|                              | 9 Way                   | IDL09PR4                       | 62.00                  | IDL09SR4         | 68.00                  | IDL09PR4TD                                                                   | 65.00                  | IDL09SR4T        | 72.25                  |
|                                                                                                                 | 15 Way                  | IDL15PR4                       | 69.50                  | IDL15SR4         | 76.50                  | IDL15PR4TD                                                                   | 74.00                  | IDL15SR4T        | 81.00                  |
|                                                                                                                 | 25 Way                  | IDL25PR4                       | 81.00                  | IDL25SR4         | 90.75                  | IDL25PR4TD                                                                   | 83.50                  | IDL25SR4T        | 95.25                  |
|                                                                                                                 | 37 Way                  | IDL37PR4                       | 124.00                 | IDL37SR4         | 135.50                 | IDL37PR4TD                                                                   | 129.50                 | IDL37SR4T        | 141.25                 |



An ISO 9001:2015 Company

## ESSEN DEINKI

22, Industrial Area, Phase-II, Chandigarh-160002

Tel: 0172-2653111-115, Fax: 0172-2653106

Email: info@essendeinki.com, Website: www.essendeinki.com

### PRICE LIST - EFFECTIVE FROM 1st JAN 2021

|                                                                                   | DESCRIPTION<br>[ 8538 ]                     | ORDERING<br>CODE                | PRICE<br>EACH<br>(RS.) | ORDERING<br>CODE | PRICE<br>EACH<br>(RS.) | ORDERING<br>CODE                                                     | PRICE<br>EACH<br>(RS.) | ORDERING<br>CODE | PRICE<br>EACH<br>(RS.) |
|-----------------------------------------------------------------------------------|---------------------------------------------|---------------------------------|------------------------|------------------|------------------------|----------------------------------------------------------------------|------------------------|------------------|------------------------|
|  | <b>D-SUB CONNECTORS<br/>CRIMP TERMINALS</b> | <b>CRIMP HOUSING WITH SHELL</b> |                        |                  |                        | <b>CRIMP HOUSING WITH TIN PLATED SHELL<br/>( MALE DIMPLE SHELL )</b> |                        |                  |                        |
|                                                                                   |                                             | <b>MALE</b>                     |                        | <b>FEMALE</b>    |                        | <b>MALE</b>                                                          |                        | <b>FEMALE</b>    |                        |
|                                                                                   | 9 Way                                       | 8630901                         | 22.25                  | 8630902          | 26.25                  | 8630901TD                                                            | 26.25                  | 8630902T         | 27.50                  |
|                                                                                   | 15 Way                                      | 8631501                         | 29.00                  | 8631502          | 30.00                  | 8631501TD                                                            | 31.50                  | 8631502T         | 33.25                  |
|                                                                                   | 25 Way                                      | 8632501                         | 30.00                  | 8632502          | 34.75                  | 8632501TD                                                            | 33.75                  | 8632502T         | 36.50                  |
|                                                                                   | 37 Way                                      | 8633701                         | 59.00                  | 8633702          | 68.00                  | 8633701TD                                                            | 62.00                  | 8633702T         | 72.25                  |
|                                                                                   | 50 Way                                      | 8635001                         | 110.00                 | 8635002          | 120.00                 | 8635001TD                                                            | 115.50                 | 8635002T         | 124.00                 |

|                                                                                   |                                    |                      |                         |                      |                         |
|-----------------------------------------------------------------------------------|------------------------------------|----------------------|-------------------------|----------------------|-------------------------|
|  | <b>CRIMP CONTACTS<br/>[ 8538 ]</b> | <b>ORDERING CODE</b> | <b>PRICE EACH (RS.)</b> | <b>ORDERING CODE</b> | <b>PRICE EACH (RS.)</b> |
|                                                                                   |                                    | <b>MALE</b>          |                         | <b>FEMALE</b>        |                         |
|                                                                                   |                                    | 864 20 P 02L001      | 2.25                    | 864 20 S 02L001      | 2.75                    |

|                                                                                     |                                                        |                      |                         |
|-------------------------------------------------------------------------------------|--------------------------------------------------------|----------------------|-------------------------|
|  | <b>DESCRIPTION (8538)</b>                              | <b>ORDERING CODE</b> | <b>PRICE EACH (RS.)</b> |
|                                                                                     | <b>ACCESSORIES FOR D-SUB CONNECTORS [ 8538 ]</b>       |                      |                         |
|                                                                                     | Guided Bracket 9 Way                                   | GB09                 | 7.75                    |
|                                                                                     | Guided Bracket 15 Way                                  | GB15                 | 8.25                    |
|                                                                                     | Guided Bracket 25 Way                                  | GB25                 | 10.00                   |
|                                                                                     | Guided Bracket 37 Way                                  | GB37                 | 12.25                   |
|                                                                                     | Guided Bracket 50 Way                                  | GB50                 | 16.00                   |
|                                                                                     | 4 x 40 UNC Screws (Pair)                               | S4                   | 13.00                   |
|                                                                                     | 4 x 40 UNC Screws (Pair) Complete with Nut and Washers | SNW4                 | 17.00                   |
|                                                                                     | Snap Latch (Pair)                                      | SL                   | 8.75                    |
|                                                                                     | L-shaped Bracket for 9 to 50 Way (Pair)                | LB                   | 10.00                   |
|                                                                                     | Nut                                                    | N4                   | 3.50                    |



An ISO 9001:2015 Company

## ESSEN DEINKI

22, Industrial Area, Phase-II, Chandigarh-160002

Tel: 0172-2653111-115, Fax: 0172-2653106

Email: info@essendeinki.com, Website: www.essendeinki.com

### PRICE LIST - EFFECTIVE FROM 1st JAN 2021

|                                                                                     | DESCRIPTION [ 8538 ] | ORDERING CODE                        | PRICE EACH (RS.) | ORDERING CODE                       | PRICE EACH (RS.) |
|-------------------------------------------------------------------------------------|----------------------|--------------------------------------|------------------|-------------------------------------|------------------|
| <b>HOODS FOR D-SUB CONNECTORS<br/>'TOP CABLE ENTRY</b>                              |                      | <u><b>MALE JACK SCREWS</b></u>       |                  | <u><b>FEMALE JACK SCREWS</b></u>    |                  |
|    | 9 Way                | D-09T                                | 39.50            | D-09TF                              | 41.00            |
|                                                                                     | 15 Way               | D-15T                                | 41.00            | D-15TF                              | 43.25            |
|                                                                                     | 25 Way               | D-25T                                | 43.25            | D-25TF                              | 44.50            |
|                                                                                     | 37 Way               | D-37T                                | 45.50            | D-37TF                              | 47.00            |
| <b>TOP &amp; SIDE CABLE ENTRY</b>                                                   |                      | <u><b>SHORT MALE JACK SCREWS</b></u> |                  | <u><b>LONG MALE JACK SCREWS</b></u> |                  |
|    | 9 Way                | D-09TSS                              | 24.75            | D-09TSL                             | 33.25            |
|                                                                                     | 15 Way               | D-15TSS                              | 25.75            | D-15TSL                             | 34.50            |
|                                                                                     | 25 Way               | D-25TSS                              | 27.00            | D-25TSL                             | 35.75            |
|                                                                                     | 37 Way               | D-37TSS                              | 32.25            | D-37TSL                             | 42.00            |
|                                                                                     | 50 Way               | D-50TSS                              | 34.50            | D-50TSL                             | 44.50            |
| <b>HOODS WITH SLIDE LOCK</b>                                                        |                      | <u><b>WITHOUT SLIDE LOCK</b></u>     |                  | <u><b>WITH SLIDE LOCK</b></u>       |                  |
|  | 9 Way                | DS09                                 | 22.25            | DS09S                               | 25.75            |
|                                                                                     | 15 Way               | DS15                                 | 24.75            | DS15S                               | 29.75            |
|                                                                                     | 25 Way               | DS25                                 | 27.25            | DS25S                               | 34.50            |
|                                                                                     | 37 Way               | DS37                                 | 30.75            | DS37S                               | 39.50            |
|                                                                                     | 50 Way               | DS50                                 | 38.25            | DS50S                               | 52.00            |
| <b>ONE PIECE HOODS</b>                                                              |                      | <u><b>TOP CABLE ENTRY</b></u>        |                  | <u><b>SIDE CABLE ENTRY</b></u>      |                  |
|  | 9 Way                | DP09T                                | 33.25            | DP09S                               | 33.25            |
|                                                                                     | 15 Way               | DP15T                                | 42.00            | DP15S                               | 42.00            |
|                                                                                     | 25 Way               | DP25T                                | 49.25            | DP25S                               | 49.25            |
|                                                                                     | 37 Way               | DP37T                                | 55.50            | DP37S                               | 55.50            |
|                                                                                     | 50 Way               | DP50T                                | 77.75            | DP50S                               | 77.75            |
| <b>SNAP FIT PLASTIC HOODS</b>                                                       |                      | <u><b>WITH CABLE CLAMPS</b></u>      |                  | <u><b>WITHOUT CABLE CLAMP</b></u>   |                  |
|  | 9 Way                | DSFC09                               | 39.50            | DSF09                               | 34.50            |
|                                                                                     | 15 Way               | DSFC15                               | 48.00            | DSF15                               | 43.25            |
|                                                                                     | 25 Way               | DSFC25                               | 59.25            | DSF25                               | 52.00            |



An ISO 9001:2015 Company



# **ESSEN DEINKI**

22, Industrial Area, Phase-II, Chandigarh-160002

Tel: 0172-2653111-115, Fax: 0172-2653106

Email: info@essendeinki.com, Website: www.essendeinki.com

## **PRICE LIST - EFFECTIVE FROM 1st JAN 2021**

| DESCRIPTION                                                                         |                                               |               |                  |
|-------------------------------------------------------------------------------------|-----------------------------------------------|---------------|------------------|
| DATA PHONE HOOD [ 8538 ]                                                            |                                               | ORDERING CODE | PRICE EACH (RS.) |
|    | 25 Way                                        | DPH25         | 55.50            |
| HOODS FOR IDC D-SUB CONNECTORS                                                      |                                               |               |                  |
|   | 15 Way                                        | D-15SL        | 38.25            |
|                                                                                     | 25 Way                                        | D-25SL        | 52.00            |
| ACCESSORIES FOR IDC D-SUB CONNECTORS [ 8538 ]                                       |                                               |               |                  |
|                                                                                     | Latch Set (Pair)                              | DL            | 11.00            |
|                                                                                     | Lock Block Set (Pair)                         | DLS           | 15.00            |
| ACCESSORIES FOR SLIDE LOCKING [ 8538 ]                                              |                                               |               |                  |
|  | 9 Way, Slide Lever                            | S09           | 7.75             |
|                                                                                     | 15 Way, Slide Lever                           | S15           | 9.00             |
|                                                                                     | 25 Way, Slide Lever                           | S25           | 11.00            |
|                                                                                     | 37 Way, Slide Lever                           | S37           | 12.25            |
|                                                                                     | 50 Way, Slide Lever                           | S50           | 15.00            |
|                                                                                     | Spring to Push Slide Lever                    | SP9/50        | 5.50             |
|                                                                                     | Over Flange Mounting for 9 to 37 Way (Pair)   | LOF9/37       | 10.00            |
|                                                                                     | Under Flange Mounting for 9 to 37 Way (Pair)  | LUF9/37       | 10.00            |
|                                                                                     | Under Flange Mounting for 50 Way (Pair)       | LUF50         | 12.25            |
|                                                                                     | Rear Panel Mount over flange Bracket 9-37 Way | ROF9/37       | 12.25            |



An ISO 9001:2015 Company



## ESSEN DEINKI

22, Industrial Area, Phase-II, Chandigarh-160002

Tel: 0172-2653111-115, Fax: 0172-2653106

Email: info@essendeinki.com, Website: www.essendeinki.com

### PRICE LIST - EFFECTIVE FROM 1st JAN 2021

|                                                                                     | DESCRIPTION [ 8538 ] | ORDERING CODE                        | PRICE EACH (RS.) | ORDERING CODE                       | PRICE EACH (RS.) |
|-------------------------------------------------------------------------------------|----------------------|--------------------------------------|------------------|-------------------------------------|------------------|
| <b>METALLIZED HOODS FOR D-SUB CONNECTORS TOP CABLE ENTRY</b>                        |                      | <u><b>MALE JACK SCREWS</b></u>       |                  | <u><b>FEMALE JACK SCREWS</b></u>    |                  |
|    | 9 Way                | MD-09T                               | 63.00            | MD-09TF                             | 64.25            |
|                                                                                     | 15 Way               | MD-15T                               | 65.25            | MD-15TF                             | 67.75            |
|                                                                                     | 25 Way               | MD-25T                               | 83.75            | MD-25TF                             | 85.25            |
|                                                                                     | 37 Way               | MD-37T                               | 97.25            | MD-37TF                             | 98.75            |
| <b>TOP &amp; SIDE CABLE ENTRY</b>                                                   |                      | <u><b>SHORT MALE JACK SCREWS</b></u> |                  | <u><b>LONG MALE JACK SCREWS</b></u> |                  |
|    | 9 Way                | MD-09TSS                             | 42.00            | MD-09TSL                            | 54.50            |
|                                                                                     | 15 Way               | MD-15TSS                             | 52.00            | MD-15TSL                            | 60.50            |
|                                                                                     | 25 Way               | MD-25TSS                             | 62.00            | MD-25TSL                            | 72.50            |
|                                                                                     | 37 Way               | MD-37TSS                             | 76.50            | MD-37TSL                            | 85.25            |
|                                                                                     | 50 Way               | MD-50TSS                             | 85.25            | MD-50TSL                            | 94.75            |
| <b>HOODS WITH SLIDE LOCK</b>                                                        |                      | <u><b>WITHOUT SLIDE LOCK</b></u>     |                  | <u><b>WITH SLIDE LOCK</b></u>       |                  |
|  | 9 Way                | MDS09                                | 41.00            | MDS09S                              | 54.50            |
|                                                                                     | 15 Way               | MDS15                                | 45.50            | MDS15S                              | 59.25            |
|                                                                                     | 25 Way               | MDS25                                | 53.00            | MDS25S                              | 67.75            |
|                                                                                     | 37 Way               | MDS37                                | 67.75            | MDS37S                              | 83.75            |
|                                                                                     | 50 Way               | MDS50                                | 74.25            | MDS50S                              | 97.50            |
| <b>METAL HOODS</b>                                                                  |                      | <b>ORDERING CODE</b>                 |                  | <b>PRICE EACH (RS.)</b>             |                  |
|  | 9 Way                | EDH09M1                              |                  | 135.00                              |                  |
|                                                                                     | 15 Way               | EDH15M1                              |                  | 143.00                              |                  |
|                                                                                     | 25 Way               | EDH25M1                              |                  | 152.00                              |                  |
|                                                                                     | 37 Way               | EDH37M1                              |                  | 225.00                              |                  |
|                                                                                     | 50 Way               | EDH50M1                              |                  | 267.00                              |                  |
| <b>METAL HOODS WITH JACK SCREW</b>                                                  |                      | <b>ORDERING CODE</b>                 |                  | <b>PRICE EACH (RS.)</b>             |                  |
|  | 9 Way                | EDH09MS                              |                  | 107.00                              |                  |
|                                                                                     | 15 Way               | EDH15MS                              |                  | 115.00                              |                  |
|                                                                                     | 25 Way               | EDH25MS                              |                  | 127.00                              |                  |
|                                                                                     | 50 Way               | EDH50MS                              |                  | 219.00                              |                  |
|                                                                                     |                      | EDH09ZKM                             |                  | 96.00                               |                  |



An ISO 9001:2015 Company

## ESSEN DEINKI

22, Industrial Area, Phase-II, Chandigarh-160002

Tel: 0172-2653111-115, Fax: 0172-2653106

Email: info@essendeinki.com, Website: www.essendeinki.com

### PRICE LIST - EFFECTIVE FROM 1st JAN 2021

|                                                                                     | DESCRIPTION [ 8536 ] MOQ - 20 Nos.                         | ORDERING CODE | PRICE/ EACH CLASS – III |
|-------------------------------------------------------------------------------------|------------------------------------------------------------|---------------|-------------------------|
| <b>STANDARD EURO SERIES ‘C’ (3 Rows)</b>                                            |                                                            |               |                         |
| <b>MALE</b>                                                                         |                                                            |               |                         |
|    | 32 Way Male (Right Angle) Row A, C (Even Cavities)         | 854133203P161 | 34.75                   |
|                                                                                     | 48 Way Male (Right Angle) Row A,B,C( Even Cavities)        | 854134803P181 | 47.00                   |
|                                                                                     | 64 Way Male (Right Angle) Row A, C                         | 854136403P121 | 54.50                   |
|                                                                                     | 96 Way Male (Right Angle) Row A, B, C                      | 854139603P131 | 76.25                   |
| <b>FEMALE</b>                                                                       |                                                            |               |                         |
|   | 32 Way Female DIP Solder (4 mm) Row A, C (Even Cavities)   | 854133203S163 | 30.25                   |
|                                                                                     | 48 Way Female DIP Solder (4 mm) Row A,B, C (Even Cavities) | 854134803S183 | 42.75                   |
|                                                                                     | 64 Way Female DIP Solder (4 mm) Row A, C                   | 854136403S123 | 52.00                   |
|                                                                                     | 96 Way Female DIP Solder (4 mm) Row A, B, C                | 854139603S133 | 67.25                   |
|                                                                                     | 32 Way Female Wire Wrap (13 mm) Row A, C (Even Cavities)   | 854133203S165 | 59.75                   |
|                                                                                     | 64 Way Female Wire Wrap (13 mm) Row A, C                   | 854136403S125 | 107.00                  |
|                                                                                     | 96 Way Female Wire Wrap (13 mm) Row A, B, C                | 854139603S135 | 141.25                  |
| <b>HALF EURO SERIES ‘C/2’ (3 ROWS)</b>                                              |                                                            |               |                         |
| <b>MALE</b>                                                                         |                                                            |               |                         |
|  | 16 Way Male (Right Angle) Row A, C (Even Cavities)         | 854231603P251 | 20.25                   |
|                                                                                     | 32 Way Male (Right Angle) Row A, C                         | 854233203P221 | 30.25                   |
|                                                                                     | 48 Way Male (Right Angle) Row A, B, C                      | 854234803P231 | 42.00                   |
| <b>FEMALE</b>                                                                       |                                                            |               |                         |
|  | 16 Way Female DIP Solder (4 mm) Row A, C (Even Cavities)   | 854231603S253 | 19.75                   |
|                                                                                     | 32 Way Female DIP Solder (4 mm) Row A, C                   | 854233203S223 | 26.50                   |
|                                                                                     | 48 Way Female DIP Solder (4 mm) Row A, B, C                | 854234803S233 | 34.50                   |
|                                                                                     | 16 Way Female Wire Wrap (13 mm) Row A, C (Even Cavities)   | 854231603S255 | 35.00                   |
|                                                                                     | 32 Way Female Wire Wrap (13 mm) Row A, C                   | 854233203S225 | 57.00                   |
|                                                                                     | 48 Way Female Wire Wrap (13 mm) Row A, B, C                | 854234803S235 | 81.00                   |



An ISO 9001:2015 Company

## ESSEN DEINKI

22, Industrial Area, Phase-II, Chandigarh-160002

Tel: 0172-2653111-115 , Fax: .0 172-2653106

Email: info@essendeinki.com, Website: www.essendeinki.c

### PRICE LIST - EFFECTIVE FROM 1st JAN 2021

|                                                                                     | DESCRIPTION [ 8536 ] MOQ - 20 Nos.                       | ORDERING CODE | PRICE / EACH CLASS -III |
|-------------------------------------------------------------------------------------|----------------------------------------------------------|---------------|-------------------------|
| <b>EURO SERIES 'B' (2 ROWS)</b>                                                     |                                                          |               |                         |
| <b>MALE</b>                                                                         |                                                          |               |                         |
|    | 32 Way Male (Right Angle) Row A, B (Even Cavities)       | 854023203P021 | 34.50                   |
|                                                                                     | 64 Way Male (Right Angle) Row A, B                       | 854026403P011 | 52.00                   |
| <b>FEMALE</b>                                                                       |                                                          |               |                         |
|   | 32 Way Female DIP Solder (4 mm) Row A, B (Even Cavities) | 854023203S023 | 28.50                   |
|                                                                                     | 64 Way Female DIP Solder (4 mm) Row A, B                 | 854026403S013 | 45.25                   |
|                                                                                     | 32 Way Female Wire Wrap (13 mm) Row A, B (Even Cavities) | 854023203S025 | 57.00                   |
|                                                                                     | 64 Way Female Wire Wrap (13 mm) Row A, B                 | 854026403S015 | 105.25                  |
| <b>EURO SERIES 'B/2' (2 ROWS)</b>                                                   |                                                          |               |                         |
| <b>MALE</b>                                                                         |                                                          |               |                         |
|  | 16 Way Male (Right Angle) Row A, B (Even Cavities)       | 854031603P071 | 20.25                   |
|                                                                                     | 32 Way Male (Right Angle) Row A, B                       | 854033203P061 | 30.25                   |
| <b>FEMALE</b>                                                                       |                                                          |               |                         |
|  | 16 Way Female DIP Solder (4 mm) Row A, B (Even Cavities) | 854031603S073 | 20.00                   |
|                                                                                     | 32 Way Female DIP Solder (4 mm) Row A, B                 | 854033203S063 | 26.25                   |
|                                                                                     | 16 Way Female Wire Wrap (13 mm) Row A, B (Even Cavities) | 854031603S075 | 34.50                   |
|                                                                                     | 32 Way Female Wire Wrap (13 mm) Row A, B                 | 854033203S065 | 56.00                   |



An ISO 9001:2015 Company

## ESSEN DEINKI

22, Industrial Area, Phase-II, Chandigarh-160002

Tel: 0172-2653111-115, Fax: 0172-2653106

Email: info@essendeinki.com, Website: www.essendeinki.com

### PRICE LIST - EFFECTIVE FROM 1st JAN 2021

|                                                                                     | DESCRIPTION [ 8536 ]    MOQ - 20 Nos.                  | ORDERING CODE | PRICE / EACH CLASS<br>- III |
|-------------------------------------------------------------------------------------|--------------------------------------------------------|---------------|-----------------------------|
| <b>REVERSE EURO SERIES "R" (3 ROWS)</b>                                             |                                                        |               |                             |
| <b>FEMALE</b>                                                                       |                                                        |               |                             |
|    | 32 Way Female (Right Angle) Row A, C (Even Cavities)   | 855313203S162 | 42.75                       |
|                                                                                     | 64 Way Female (Right Angle) Row A, C                   | 855316403S122 | 64.25                       |
|                                                                                     | 96 Way Female (Right Angle) Row A, B, C                | 855319603S132 | 86.50                       |
| <b>MALE</b>                                                                         |                                                        |               |                             |
|   | 32 Way Male DIP Solder (4 mm) Row A, C (Even Cavities) | 855313203P164 | 37.00                       |
|                                                                                     | 64 Way Male DIP Solder (4 mm) Row A, C                 | 855316403P124 | 49.25                       |
|                                                                                     | 96 Way Male DIP Solder (4 mm) Row A, B, C              | 855319603P134 | 67.50                       |
|                                                                                     | 32 Way Male Wire Wrap (13 mm) Row A, C (Even Cavities) | 855313203P166 | 43.25                       |
|                                                                                     | 64 Way Male Wire Wrap (13 mm) Row A, C                 | 855316403P126 | 58.25                       |
|                                                                                     | 96 Way Male Wire Wrap (13 mm) Row A, B, C              | 855319603P136 | 80.75                       |
|                                                                                     | 64 Way Male Wire Wrap (15 mm) Row A, C                 | 855316403P128 | 59.00                       |
|                                                                                     | 96 Way Male Wire Wrap (15 mm) Row A, B, C              | 855319603P138 | 74.75                       |
| <b>HALF REVERSE EURO SERIES "R/2" (3 ROWS)</b>                                      |                                                        |               |                             |
| <b>FEMALE</b>                                                                       |                                                        |               |                             |
|  | 16 Way Female (Right Angle) Row A, C (Even Cavities)   | 855321603S252 | 25.00                       |
|                                                                                     | 32 Way Female (Right Angle) Row A, C                   | 855323203S222 | 37.00                       |
|                                                                                     | 48 Way Female (Right Angle) Row A, B, C                | 855324803S232 | 49.25                       |
| <b>MALE</b>                                                                         |                                                        |               |                             |
|  | 16 Way Male DIP Solder (4 mm) Row A, C (Even Cavities) | 855321603P254 | 20.00                       |
|                                                                                     | 32 Way Male DIP Solder (4 mm) Row A, C                 | 855323203P224 | 23.25                       |
|                                                                                     | 48 Way Male DIP Solder (4 mm) Row A, B, C              | 855324803P234 | 30.25                       |
|                                                                                     | 16 Way Male Wire Wrap (13 mm) Row A, C (Even Cavities) | 855321603P256 | 22.75                       |
|                                                                                     | 32 Way Male Wire Wrap (13 mm) Row A, C                 | 855323203P226 | 27.25                       |
|                                                                                     | 48 Way Male Wire Wrap (13 mm) Row A, B, C              | 855324803P236 | 35.75                       |



An ISO 9001:2015 Company

## ESSEN DEINKI

22, Industrial Area, Phase-II, Chandigarh-160002

Tel: 0172-2653111-115, Fax: 0172-2653106

Email: info@essendeinki.com, Website: www.essendeinki.com

### PRICE LIST - EFFECTIVE FROM 1st JAN 2021

|                                                                                     | DESCRIPTION [ 8536 ] MOQ - 20 Nos.                       | ORDERING CODE  | PRICE / EACH CLASS – III |
|-------------------------------------------------------------------------------------|----------------------------------------------------------|----------------|--------------------------|
| <b>PRESS FIT CONNECTORS</b>                                                         |                                                          |                |                          |
| <b>STANDARD EURO SERIES ‘C’ (3 Rows)</b>                                            |                                                          |                |                          |
| <b>FEMALE, PRESSFIT</b>                                                             |                                                          |                |                          |
|    | 32 Way Female Wire Wrap (13 mm) Row A, C (Even Cavities) | 85413P3203S165 | 70.50                    |
|                                                                                     | 64 Way Female Wire Wrap (13 mm) Row A, C                 | 85413P6403S125 | 122.00                   |
|                                                                                     | 96 Way Female Wire Wrap (13 mm) Row A, B, C              | 85413P9603S135 | 174.00                   |
| <b>HALF EURO SERIES ‘C/2’ (3 ROWS)</b>                                              |                                                          |                |                          |
| <b>FEMALE, PRESSFIT</b>                                                             |                                                          |                |                          |
|  | 16 Way Female Wire Wrap (13 mm) Row A, C (Even Cavities) | 85423P1603S255 | 43.25                    |
|                                                                                     | 32 Way Female Wire Wrap (13 mm) Row A, C                 | 85423P3203S225 | 67.50                    |
|                                                                                     | 48 Way Female Wire Wrap (13 mm) Row A, B, C              | 85423P4803S235 | 96.50                    |
| <b>EURO SERIES ‘B’ (2 ROWS)</b>                                                     |                                                          |                |                          |
| <b>FEMALE, PRESSFIT</b>                                                             |                                                          |                |                          |
|  | 32 Way Female Wire Wrap (13 mm) Row A, B (Even Cavities) | 85402P3203S025 | 70.00                    |
|                                                                                     | 64 Way Female Wire Wrap (13 mm) Row A, B                 | 85402P6403S015 | 119.25                   |
| <b>EURO SERIES ‘B/2’ (2 ROWS)</b>                                                   |                                                          |                |                          |
| <b>FEMALE, PRESSFIT</b>                                                             |                                                          |                |                          |
|  | 16 Way Female Wire Wrap (13 mm) Row A, B (Even Cavities) | 85403P1603S075 | 41.00                    |
|                                                                                     | 32 Way Female Wire Wrap (13 mm) Row A, B                 | 85403P3203S065 | 64.25                    |



An ISO 9001:2015 Company


## ESSEN DEINKI

22, Industrial Area, Phase-II, Chandigarh-160002

Tel: 0172-2653111-115, Fax: 0172-2653106

Email: info@essendeinki.com, Website: www.essendeinki.com

### PRICE LIST - EFFECTIVE FROM 1st JAN 2021

|                                                                                     | DESCRIPTION   8536      MOQ - 20 Nos.                            | ORDERING CODE       | PRICE/ EACH( RS.)<br>CLASS – III |                  |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------|----------------------------------|------------------|
| MALE-REVERSE EURO SERIES “R” (3 ROWS) PRESS FIT                                     |                                                                  |                     |                                  |                  |
|    | 32 way Male Pressfit (4.5 mm) Row A, C (Even cavities)           | 85531P3203P164      | 55.25                            |                  |
|                                                                                     | 64 way Male Pressfit (4.5 mm) Row A, C                           | 85531P6403P124      | 91.00                            |                  |
|                                                                                     | 96 way Male Pressfit (4.5 mm) Row A, B, C                        | 85531P9603P134      | 128.50                           |                  |
|                                                                                     | 32 way Male Pressfit, Wire Wrap (13 mm) Row A, C (Even cavities) | 85531P3203P166      | 61.00                            |                  |
|                                                                                     | 64 way Male Pressfit, Wire Wrap (13 mm) Row A, C                 | 85531P6403P126      | 101.25                           |                  |
|                                                                                     | 96 way Male Pressfit, Wire Wrap (13 mm) Row A, B, C              | 85531P9603P136      | 138.50                           |                  |
| MALE-HALF REVERSE EURO SERIES “R/2” (3 ROWS) PRESS FIT                              |                                                                  |                     |                                  |                  |
|    | 16 Way Male Pressfit (4.5 mm) Row A, C (Even cavities)           | 85532P1603P254      | 35.75                            |                  |
|                                                                                     | 32 Way Male Pressfit (4.5 mm) Row A, C                           | 85532P3203P224      | 40.50                            |                  |
|                                                                                     | 48 Way Male Pressfit (4.5 mm) Row A, B, C                        | 85532P4803P234      | 54.00                            |                  |
|                                                                                     | 16 Way Male Pressfit, Wire Wrap (13 mm) Row A, C (Even cavities) | 85532P1603P256      | 49.25                            |                  |
|                                                                                     | 32 Way Male Pressfit, Wire Wrap (13 mm) Row A, C                 | 85532P3203P226      | 57.00                            |                  |
|                                                                                     | 48 Way Male Pressfit, Wire Wrap (13 mm) Row A, B, C              | 85532P4803P236      | 79.25                            |                  |
| MIXED EURO CONNECTORS, Form ‘M’                                                     |                                                                  |                     |                                  |                  |
| MALE                                                                                |                                                                  |                     |                                  |                  |
|  | 78+2, Male Right Angled Row A, B, C                              | 854307803 P801      | 64.25                            |                  |
|                                                                                     | 60+4, Male Right Angled Row A, B, C                              | 854306003 P641      | 52.50                            |                  |
|                                                                                     | 42+6, Male Right Angled Row A, B, C                              | 854304203 P481      | 38.00                            |                  |
| FEMALE                                                                              |                                                                  |                     |                                  |                  |
|  | 78+2, Female, DIP solder (4 mm) Row A, B, C                      | 854307803 S803      | 95.25                            |                  |
|                                                                                     | 60+4, Female, DIP solder (4 mm) Row A, B, C                      | 854306003 S643      | 79.25                            |                  |
|                                                                                     | 42+6, Female, DIP solder (4 mm) Row A, B, C                      | 854304203 S483      | 70.00                            |                  |
|                                                                                     | 78+2, Female, Wire Wrap (13 mm) Row A, B, C                      | 854307803 S805      | 156.00                           |                  |
|                                                                                     | 60+4, Female, Wire Wrap (13 mm) Row A, B, C                      | 854306003 S645      | 125.25                           |                  |
|                                                                                     | 42+6, Female, Wire Wrap (13 mm) Row A, B, C                      | 854304203 S485      | 91.00                            |                  |
| HIGH DENSITY CONNECTORS   8536                                                      |                                                                  |                     |                                  |                  |
|                                                                                     | DESCRIPTION ( 8536 )                                             | ESSEN ORDERING CODE | C-DOT PART NO.                   | PRICE/ EACH (RS) |
| 4 ROW, 128 WAY, HIGH DENSITY CONNECTORS                                             |                                                                  |                     |                                  |                  |
|  | 4x32 Way Female Conn., Right Angle, Pin Tail Length 3.05 mm      | 8563312802S331      | MCC-RUFRS128-050                 | 539.00           |
|                                                                                     | 4x32 Way Female Conn., Right Angle, Pin Tail Length 4.57 mm      | 8563312802S332      | MCC-RUFRS128-060                 | 554.50           |
|                                                                                     | 4x32 Way Male Conn., Right Angle, Pin Tail Length 4.57 mm        | 8563312802P334      | MCC-RUMRS128-000                 | 511.75           |
|                                                                                     | 4x32 Way Male Conn., DIP Solder,, Pin Tail Length 6.35 mm        | 8563312802P337      | MCC-RUMSS128-060                 | 474.25           |
|                                                                                     | 4x32 Way Male Conn., Wire Wrap, Pin Tail Length 18.62 mm         | 8563312802P339      | MCC-RUMSS128-073                 | 637.75           |
|                                                                                     | 4x32 Way Male Conn/, Wire Wrap, Pin Tail Length 13.54 mm         | 8563312802P338      | MCC-RUMSS128-020                 | 705.25           |
|                                                                                     | 4x32 Way Male Conn., DIP Solder, Pin Tail Length 4.5 mm          | 8563312802P336      | MCC-RUMSS128-050                 | 411.75           |



An ISO 9001:2015 Company

## ESSEN DEINKI

22, Industrial Area, Phase-II, Chandigarh-160002

Tel: 0172-2653111-115, Fax: 0172-2653106

Email: info@essendeinki.com, Website: www.essendeinki.com

### PRICE LIST - EFFECTIVE FROM 1st JAN 2021

| DESCRIPTION   8536                                                                | ESSEN ORDERING CODE | C-DOT PART NO.    | QTY    | PRICE/ EACH (RS.) | PKG |
|-----------------------------------------------------------------------------------|---------------------|-------------------|--------|-------------------|-----|
| <b>BACK PANEL CONNECTOR – SERIES ‘E2X’</b>                                        |                     |                   |        |                   |     |
| 2x32 Way, 26 AWG (0.4mm) Discrete Wire (Grey)                                     | E2XF960ARI2COA      | MCC-BXFSI232-003  | 1 Set  | 141.50            | 50  |
| 2x32 Way Contact Block 960 with Pins of 0.4 Loaded in ‘a’ & ‘c’ Rows              | 120-7678-101L       | MCC-BCFSC232-003  | 1 No.  | 97.25             | 20  |
| RH Pierce Bar 0.4 (32 Way)                                                        | 120-7669-100        | MCC-BPRXX232-000  | 1 No.  | 12.00             | 200 |
| LH Pierce Bar 0.4 (32 Way)                                                        | 120-7671-100        | MCC-BPLXX232-000  | 1 No.  | 12.00             | 20  |
| 960 Cover 0.4                                                                     | 039-7557-101        | MCC-BPCSZ007-301  | 1 No.  | 20.25             | 94  |
| 3x32 Way, 26 AWG (0.4mm) Discrete Wire (Grey)                                     | E2XF960AAI2COA      | -                 | 1 Set  | 193.75            | 50  |
| 3x32 Way Contact Block 960 with Pins of 0.4 Loaded in ‘a’, ‘b’ & ‘c’ Rows         | 120-7678-101LL      | -                 | 1 No.  | 146.50            | 20  |
| RH Pierce Bar 0.4 (64 Way)                                                        | 120-7675-001        | -                 | 1 No.  | 15.00             | 100 |
| LH Pierce Bar 0.4 (32 Way)                                                        | 120-7671-100        | MCC-BPLXX232-000  | 1 No.  | 12.00             | 100 |
| 960 Cover 0.4                                                                     | 039-7557-101        | MCC-BPCSZ007-301  | 1 No.  | 20.25             | 94  |
| 2x7 Way, 26 AWG (0.4mm) Discrete Wire (Grey)                                      | E2XF210DNI2COA      | MCC-BXFSI207-003  | 1 Set  | 51.50             | 100 |
| 2x7 Way Contact Block 210 with Pins of 0.4 Loaded in ‘a’ & ‘c’ Rows               | 120-7673-101L       | MCC-BCFSC207-003  | 1 No.  | 37.50             | 100 |
| RH 210 Pierce Hood 0.4                                                            | 039-7576-101        | MCC-BPRXX021-000  | 1 No.  | 7.00              | 100 |
| LH 210 Pierce Hood 0.4                                                            | 039-7577-101        | MCC-BPLXX021-000  | 1 No.  | 7.00              | 100 |
| 3x7 Way, 26 AWG (0.4mm) Discrete Cable (Grey)                                     | E2XF210DMI2COA      | MCC-BXFSI307-003  | 1 Set  | 64.50             | 100 |
| 3x7 Way Contact Block 210 with Pins of 0.4 Loaded in ‘a’, ‘b’, & ‘c’ Rows         | 120-7673-101LL      | MCC-BCFSC307-003  | 1 No.  | 50.50             | 100 |
| RH 210 Pierce Hood 0.4                                                            | 039-7576-101        | MCC-BPRXX021-000  | 1 No.  | 7.00              | 100 |
| LH 210 Pierce Hood 0.4                                                            | 039-7577-101        | MCC-BPLXX021-000  | 1 No.  | 7.00              | 100 |
| Dual 2x7 Way, 26 AWG (0.4mm) Discrete Cable (Grey)                                | E2XF450FEI2COA      | MCC-BXFSI214-003  | 1 Set  | 90.50             | 100 |
| Two Nos. 2x7 Way Contact Block 210 with Pins of 0.4 Loaded in ‘a’ & ‘c’ Rows      | 120-7673-101L       | MCC-BCFSC207-003  | 2 Nos. | 70.00             | 100 |
| RH 450 Pierce Hood 0.4                                                            | 039-7578-101        | MCC-BPRXX042-000  | 1 No.  | 10.25             | 100 |
| LH 450 Pierce Hood 0.4                                                            | 039-7579-101        | MCC-BPLXX042-000  | 1 No.  | 10.25             | 100 |
| Dual 3x7 Way, 26 AWG (0.4mm) Discrete Cable (Grey)                                | E2XF450FDI2COA      | MCC-BXFSI314-003  | 1 Set  | 113.00            | 100 |
| Two Nos. 3x7 Way Contact Block 450 with Pins of 0.4 Loaded in ‘a’, ‘b’ & ‘c’ Rows | 120-7673-101LL      | MCC-BCFSC307-003  | 2 Nos. | 92.50             | 100 |
| RH 450 Pierce Hood 0.4                                                            | 039-7578-101        | MCC-BPRXX042-000  | 1 No.  | 10.25             | 100 |
| LH 450 Pierce Hood 0.4                                                            | 039-7579-101        | MCC-BPLXX042-000  | 1 No.  | 10.25             | 100 |
| 2x3 Way, 26 AWG (0.4mm) Discrete Cable (Grey)                                     | E2XF090DQI2COA      | -                 | 1 Set  | 43.00             | 100 |
| 2x3 Way Contact Block with Pins of 0.4 Loaded in ‘a’ & ‘c’ Rows                   | 120-7677-101L       | MCC-BCXXC203-000  | 1 No.  | 29.00             | 100 |
| RH Pierce Hood for 0.4 (6 Way)                                                    | RL7475              | MCC-BJXXX303-000* | 1 No.  | 7.00              | 100 |
| LH Pierce Hood 0.4 (3 Way)                                                        |                     |                   |        | 7.00              | 100 |



An ISO 9001:2015 Company

## ESSEN DEINKI

22, Industrial Area, Phase-II, Chandigarh-160002

Tel: 0172-2653111-115, Fax: 0172-2653106

Email: info@essendeinki.com, Website: www.essendeinki.com

### PRICE LIST - EFFECTIVE FROM 1st JAN 2021

| DESCRIPTION [ 8536 ]                                                 | ESSEN ORDERING CODE | C-DOT PART NO.    | QTY   | PRICE/<br>EACH (RS.) | PKG |
|----------------------------------------------------------------------|---------------------|-------------------|-------|----------------------|-----|
| 3x3 Way, 26 AWG (0.4mm) Discrete Cable (Grey)                        | E2XF090DPI2COA      | -                 | 1 Set | 49.75                | 100 |
| 3x3 Way Contact Block with Pins of 0.4 Loaded in 'a', 'b' & 'c' Rows | 120-7677-101LL      | MCC-BCXXC303-000  | 1 No. | 35.75                | 100 |
| RH Pierce Hood for 0.4 (3 Way)                                       | RL7475              | MCC-BJXXX303-000* | 1 No. | 7.00                 | 100 |
| LH Pierce Hood 0.4 (3 Way)                                           |                     |                   |       | 7.00                 | 100 |
| 2x32 Way, 28 AWG 7/36 Flat Cable (Natural)                           | E2XF960ARI1ROA      | MCC-BYFSI232-003  | 1 Set | 135.50               | 85  |
| 2x32 Way Contact Block with Pins of 0.25 Loaded in 'a' & 'c' Rows    | 120-7679-100L       | MCC-FLFSC232-003  | 1 No. | 99.00                | 20  |
| Protector 64 Way Suitable for 64 Way Contact Block                   | 120-7610-100        | MCC-FLAXX232-100  | 1 Set | 18.25                | 100 |
| Strain Relief for above                                              | 026-7646-100        | MCC-FLAXX232-200  | 1 No. | 18.25                | 100 |
| 2x7 Way, 28 AWG 7/36 Flat Cable (Natural)                            | E2XF210DNI1ROA      | MCC-BYFSI207-003  | 1 Set | 45.50                | 125 |
| 2x7 Way Contact Block with Pins of 0.25 Loaded in 'a' & 'c' Rows     | 120-7672-100L       | MCC-BCFSC207-003  | 1 No. | 32.00                | 100 |
| 210 Flat Cable Pierce Block                                          | 039-7558-100        | MCC-BAXXX021-000  | 1 Set | 13.50                | 100 |
| 4 Module Latch Frame (Polarised) [ 8538 ]                            | 068-7507-000        | MCC-BPCSZ001-301  | 1 No. | 6.25                 | 100 |
| 2x32 Module Latch Frame (Unpolarised) [ 8538 ]                       | 068-7507-001        | MCC-BPCSZ002-301  | 1 No. | 6.25                 | 100 |
| Module Latch [ 8538 ]                                                | 207-7507-000        | MCC-BPCSZ003-401  | 1 No. | 4.50                 | 500 |
| Extended Latch [ 8538 ]                                              | 207-7508-000        | MCC-BPCSZ004-301  | 1 No. | 5.00                 | 500 |
| Triple Row Back Shroud [ 8538 ]                                      | 391-7509-102        | MCC-BPCSZ000-301  | 1No.  | 13.50                | 100 |

\* ECL Part NO. for the set is RL7475

Back Panel Connectors are supplied as a set or as individual components:

- As a set : Individual components are packed together. Please refer to the set part number in bold letters
- As an individual component : Each component is packed separately for the minimum quantity as mentioned above.

- This Cancels all our previous Price Lists
- Prices do not include any Taxes ( GST , Freight ) will be charged extra.
- Prices are ex-works, Chandigarh.
- Price are subject to alteration without notice.
- Company reserves the right to issue any amendment at any time on account of any reason.
- Delivery without engagement.

ED051-18/01-21/03