



Industrial Plugs & Sockets Price List 2022

Price effective: May, 2022




WHO WE ARE

Neptune – The name the nation Trusts and the World Acclaims ; A distinctive identity, that, has been committed to offer, total satisfaction, in work credibility, over the last 30 years and continues to progressively march ahead, to achieve and introduce world class technology, in the field of, “Innovative Energy Management, Solutions for Power Quality Improvement”, and “Intuitive Access Automation & Parking Management Solutions”. The Organization gained Remarkable Progressive Growth and Development, under the Visionary Aura and Inspiration of Neptune Group Founder & Chairman Deepak Kapoor. An ode to these remarkable achievements included the honoring of the Neptune Group, with the Prestigious PWC Brand and Leader Award. Today, Neptune stands out as

a Pioneering Leader and owes its excellence to a dedicated and committed team of expert professionals and passionate work force that is focused on our motto – “Always Together to Achieve the Best”.The committed dedication has credited the Neptune Group as on ISO certified company that has more than 300 Business Channel Partners across India and 21 Branch Offices for a Pan India Sales & Support Network. The Organization has collaboration with Global Conglomerates that includes – Bals Elektrotechnik GmbH and Ducati Energia SpA, Italy and more. Besides having installations more than 45000 Plus Energy Management and Power Solutions and successfully accomplished 6000 Plus Projects, in last 3 year.

Neptune-Domain of Excellence





Power & Distribution Management

INDUSTRIAL PLUGS & SOCKETS HSN-8536

SURFACE MOUNTING



Surface Mounting Socket



Surface Mounting Socket

Ampere	2P+⏏ 230V		3P+⏏ 415V		3P+N+⏏ 230/415V	
	Part No.	L.P. ₹	Part No.	L.P. ₹	Part No.	L.P. ₹
SPLASH PROOF IP-44						
16/20	111	1,080	11645	1,190	100	1,190
32	11651	1,340	11646	1,450	101	1,450
63	1104	5,290	1127	5,300	1124	5,300
WATER TIGHT IP-67						
16/20	1133	1,820	1137	2,310	1143	2,310
32	1145	2,260	1149	2,790	1155	2,790
63	1157	6,850	1161	6,680	1112	6,680
125	11427	21,740	11441	23,850	11447	23,850

PANEL MOUNTING



Panel Mounting Socket



Panel Mounting Socket



Panel Mounting Socket







Panel Mounting Socket

Ampere	2P+⏏ 230V		3P+⏏ 415V		3P+N+⏏ 230/415V	
	Part No.	L.P. ₹	Part No.	L.P. ₹	Part No.	L.P. ₹
SOCKET-OUTLET ANGLED SPLASH PROOF IP-44						
16/20	1217	670	1221	1,090	12078	1,090
32	12310	1,160	1233	1,340	1215	1,340
63	12135	4,630	-	4,760	12380	4,760
SOCKET-OUTLET STRAIGHT SPLASH PROOF IP-44						
16/20	131	670	1324	1,080	132001	1,080
32	13007	1,160	13011	1,320	1333	1,320
63	1307	4,630	134	4,730	136	4,730
SOCKET-OUTLET ANGLED WATER TIGHT IP-67						
16/20	1266	1,400	1270	1,520	1276	1,520
32	1278	1,750	1282	2,000	1288	2,000
63	12001	5,520	1200	5,200	129	5,200
125	12100	17,680	12104	17,770	12108	17,770
SOCKET-OUTLET STRAIGHT WATER TIGHT IP-67						
16/20	1372	1,400	1376	1,520	1382	1,520
32	13024	1,750	13028	2,000	1370	2,000
63	1396	5,520	13100	5,200	13104	5,200
125	13452	17,680	13447	17,770	13451	17,770

INDUSTRIAL PLUGS & SOCKETS HSN-8536

PANEL MOUNTING



Ampere	2P+⊥ 230V		3P+⊥ 415V		3P+N+⊥ 230/415V	
	Part No.	L.P. ₹	Part No.	L.P. ₹	Part No.	L.P. ₹
SPLASH PROOF IP-44						
16/20	71094	560	-	-	-	-
16/20	7370	500	-	-	-	-
16/20	231	860	-	-	-	-

PLUG



Ampere	2P+⊥ 230V		3P+⊥ 415V		3P+N+⊥ 230/415V	
	Part No.	L.P. ₹	Part No.	L.P. ₹	Part No.	L.P. ₹
SPLASH PROOF IP-44						
16/20	21001	550	21005	770	203	770
32	21013	930	21017	1,130	204	1,130
63	2104	4,780	2151	4,420	21590	4,420
WATER TIGHT IP-67						
16/20	210576	1,220	21349	1,650	21239	1,650
32	210594	1,880	21351	2,000	210607	2,000
63	2181	5,520	2185	5,100	2189	5,100
125	2191	16,250	2195	15,980	2199	15,980
SPLASH PROOF IP-44						
16/20	31001	830	31005	980	303	980
32	31013	1080	31017	1,350	304	1,350
63	3104	5,700	3151	5,690	3112	5,690
WATER TIGHT IP-67						
16/20	310333	1,760	31241	2,100	31243	2,100
32	31244	2,430	31245	2,730	310364	2,730
63	3181	6,050	3185	5,790	3124	5,790
125	3191	18,550	3195	18,910	3199	18,910

INDUSTRIAL PLUGS & SOCKETS HSN-8536

SURFACE MOUNTING



Socket-outlet with MCB Provision



Socket-outlet interlocked

Ampere	2P+⏏ 230V		3P+⏏ 415V		3P+N+⏏ 230/415V	
	Part No.	L.P. ₹	Part No.	L.P. ₹	Part No.	L.P. ₹
SPLASH PROOF IP-44						
16/20	15019	7,120	-	7,890	15059	7,890
32	15030	7,900	-	9,280	1585	9,280
63	-	-	-	18,900	15036	18,900
WATER TIGHT IP-67						
16/20	15024	7,300	15098	8,290	15028	8,290
32	15352	8,000	15111	9,890	15112	9,890
63	-	-	15000	20,800	15001	20,800
125	-	-	15158	58,140	15160	58,140
SPLASH PROOF IP-44						
16/20	1619	9,450	1610	13,230	1611	13,230
32	16097	12,340	16596	15,010	16043	15,010
63	-	-	16605	28,120	16603	28,120
WATER TIGHT IP-67						
16/20	1600	9,450	1602	13,430	1604	13,430
32	16104	13,100	160178	16,850	160177	16,850
63	-	-	16604	30,900	16602	30,900
125	-	-	16621	97,600	16622	97,600

DOMESTIC AC/ INDUSTRIAL OUTLET

Plug/Socket combined in metal enclosure



Plug/Socket combined in Polycarbonate enclosure



Appliance Inlet



Ampere	2P+⏏ 230V		3P+⏏ 415V		3P+N+⏏ 230/415V	
	Part No.	L.P. ₹	Part No.	L.P. ₹	Part No.	L.P. ₹
SPLASH PROOF IP-44						
16/20	1201 SP/DP	1,930/1,940	-	2,710	3201	2,710
32	1202 SP/DP	2,680	-	3,470	3202	3,470
63	1203	11,170	-	11,020	3203	11,020
PLUG SOCKET COMBINED IN POLYCARBONATE						
16/20	901	2,240	-	3,130	903	3,130
32	911	3,060	-	3,790	913	3,790
SPLASH PROOF IP-44						
16/20	261	1,650	-	1,700	2612	1,700
32	2662	2,410	-	3,320	2600	3,320

VARIABOX The new generation of distributors HSN-8537

The new VARIABOX from Bals meets all requirements for a modern distributor housing and can be individually configured in 5 different sizes with versions S, M, L, & XXL as surface mounting or mobile combination. We have the right distributor for every user. Configuration according to individual specifications on the basis of pre-defined, encoded flanges, which offer a maximum level of safety during the initial installation & /or maintenance. With their robust design in a high grade & durable, quality plastic, their good seal, the modular expansion option & many Innovative extra features, the new VARIABOX proves itself even under the most adverse conditions.



Features

- > Ready wired for installation
- > Housing made of high-grade, impact-resistant plastic
- > Top and bottom can be sealed together
- > Permanently attached cover screws
- > All CEE socket outlets with screw less, maintenance-free QUICK-CONNECT connection technology
- > Colors, bottom-black, top-electro grey (Housing top optionally available in the colors yellow, red, blue or silver)
- > With high quality handle
- > Coded flange system for maximum safety during initial installation and maintenance
- > Fuse elements arranged below transparent, lockable operating window with user friendly OTC mechanics (one touch close)

Item Code	Dimensions	L.P. ₹
Variabox-Small	130 x 230 mm	8,550/-
Variabox-Medium	260 x 230 mm	10,350/-
Variabox-Large	390 x 230 mm	13,950/-
Variabox-Extra Large	520 x 230 mm	17,550/-
10 Way Window	-	1,620/-
4 Way Window	-	1,575/-

ECO BOX ENCLOSURE & JUNCTION BOXES HSN-8538

Modular Distribution Board – IP 65



Modular Distribution Board



Modular Enclosure



Junction Boxes

Dimensions LxWxH (mm)	Part No.	L.P. ₹
MODULAR DISTRIBUTION BOARDS		
150 x 300 x 210	9150	2,550/-
300 x 300 x 210	9300	3,250/-
450 x 300 x 210	9450	4,890/-
600 x 300 x 210	9600	6,230/-
MODULAR ENCLOSURE		
180 x 180 x 135	6180	1,380/-
180 x 240 x 135	6260	1,620/-
240 x 320 x 135	6320	2,940/-
320 x 420 x 135	6420	4,050/-
420 x 640 x 160	6520	8,910/-
JUNCTION BOXES		
90 x 90 x 50	1001	300/-
100 x 100 x 60	1002	350/-
110 x 140 x 70	1003	600/-
130 x 130 x 100	1004	720/-
130 x 170 x 80	1005	790/-
170 x 210 x 100	1006	1,550/-

DESCRIPTION

Modular Enclosure

- > Impact resistant modular polycarbonate distribution boards
- > Chemical resistant
- > Solid and Stable
- > Self-extinguishing
- > Weather Resistant
- > Corrosion free screws

Eco Box Modular Distribution Boards

- > Impact resistant modular polycarbonate enclosures
- > Chemical resistant
- > Solid and stable
- > Self-extinguishing
- > Weather resistant
- > Corrosion free screws
- > Self internal fixing center / fixing center outside
- > Cable entry to client's specifications

Mobile Distribution Rubber Boards HSN-8537



Customized IP 65 L.V. Distribution Panels & Feeder Pillar HSN-8537



Enclosures HSN-8538 IP-65



Part No.	Rating	LxWxH (mm)	L.P. ₹
3004	4 Way	160 x 225 x 100	1,490/-
3008	8 Way	225 x 225 x 100	2,350/-
3304	12 Way	300 x 225 x 100	3,290/-
3308	24 Way	300 x 400 x 100	5,900/-
3312	36 Way	300 x 600x 100	8,700/-

Rubber distribution & IP 65 L.V. Distribution Panel- Price as per specification on request

Windows HSN-8538



No. of ways	Part No.	L.P. ₹
2 Way	5882	570/-
4 Way	5891	590/-
8 Way	58010	760/-
12 Way	58019	910/-

Terms & Conditions

Price Basis:

The prices mentioned are Unit Price and Ex-Works basis.
Prices shall be applicable as per our Price List ruling at the time of despatch.

Place of despatch:

The materials shall be despatched from Noida / Delhi works.

GST :

Goods & Service Tax shall be charged extra as applicable at the time of despatch.

Insurance:

Insurance shall be organized, paid, dealt by the customer directly. Damages or any shortages, if found shall be dealt by the customer directly.

Forwarding & Freight Charges:

For all standard items, freight shall be charged extra @3%.
For all other items, e.g. Block Reactors & Panels, freight shall be charged extra at actual.

Terms of Payments:

For all authorized Business Partners, payment terms shall be applicable as per the Trade Policy except APFC Panels & other Panels.
In case of Panels, advance payment & balance along with 100% taxes & duties levies etc. shall be released against PI before despatch.

NOTE: This Price List supersedes all previous Price Lists.

Regional Contacts

Ahmedabad

ahmedabad@neptuneindia.com

Bengaluru

bangalore@neptuneindia.com

Bhopal

bhopal@neptuneindia.com

Chennai

chennai@neptuneindia.com

Chandigarh

Chandigarh@neptuneindia.com

Coimbatore

coimbatore@neptuneindia.com

Haryana

haryana@neptuneindia.com

Hyderabad

hyderabad@neptuneindia.com

Indore

indore@neptuneindia.com

Jaipur

jaipur@neptuneindia.com

Kanpur

kanpur@neptuneindia.com

Kolkata

kolkata@neptuneindia.com

Ludhiana

ludhiana@neptuneindia.com

Mumbai

mumbai@neptuneindia.com

Nagpur

nagpur@neptuneindia.com

Pune

pune@neptuneindia.com

Raipur

raipur@neptuneindia.com

Uttaranchal

uttaranchal@neptuneindia.com

Vadodara

baroda@neptuneindia.com



Neptune India Ltd.

A 11 - Sector 59, Noida - 201301, INDIA
Tel: 0120 420 5900, 429 7900
For Product enquiry: + 91 955 550 0300
Email: enquiry@neptuneindia.com
www.neptuneindia.com

