

LEADERS

— IN QUALITY —

LEADERS

IN DEPENDABILITY



Residential & Commercial

Flame Retardant (FR) PVC Insulated Industrial Cables
Flamegard - Flame Retardant Low Smoke (FR-LSH) Industrial Cables
Halogard - Halogen Free Flame Retardant (HFFR) Industrial Cables
Flexible Cables Single Core

Communication Cables

Co-axial Cables
Telephone Cables
CCTV Cables
Speaker Cables
LAN Cables
Optic Fibre Cables (HSN - 9001)

Agriculture

3 Core Flat Cables
PVC Insulated Winding Wires

Automobile/Solar Power

Auto Cables
Solar Cables

(HSN Code : 8544)



Residential & Commercial



List Price wef. 25 May 2024



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

Flame Retardant (FR) PVC Insulated Industrial Cables



List Price wef. 25 May 2024

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

GOLD PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10302	0.75	1,330	20
10303	1.00	1,840	20
10304	1.50	2,695	12
10305	2.50	4,275	12
10306	4.00	6,240	8
10307	6.00	9,330	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - SILVER PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10312	0.75	1,270	20
10313	1.00	1,655	20
10314	1.50	2,395	12
10315	2.50	3,890	12
10316	4.00	6,005	8
10317	6.00	8,975	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil Rs.	No. of Coils packed in a Master Carton
10313	1.00	3,145	8
10314	1.50	4,605	6
10315	2.50	7,490	4
10306016	4.00	11,635	4
10307016	6.00	17,440	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 45 PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil Rs.	No. of Coils packed in a Master Carton
10313	1.00	785	30
10314	1.50	1,150	24
10315	2.50	1,875	24
10316	4.00	2,910	12
10317	6.00	4,360	8

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above
 COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

Flamegard Flame Retardant Low Smoke(FR-LSH) Industrial Cables



List Price wef. 25 May 2024

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10112013	0.75	1,300	20
10113	1.00	1,695	20
10114	1.50	2,455	12
10115	2.50	3,980	12
10106	4.00	6,150	8
10107	6.00	9,195	4

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil Rs.	No. of Coils packed in a Master Carton
10112016	0.75	2,450	8
10113016	1.00	3,195	8
10114016	1.50	4,665	6
10115016	2.50	7,605	4
10106016	4.00	11,810	4
10107016	6.00	17,675	4

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil Rs.	No. of Coils packed in a Master Carton
10113	1.00	800	30
10114	1.50	1,165	24
10115	2.50	1,900	24
10106	4.00	2,955	12
10107	6.00	4,420	4

PACKING : Finolex PVC Insulated industrial cables are supplied in 90 M, 180 M coils which are packed in master cartons as specified above.
COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

Halogen Free Flame Retardant (HFFR) Industrial Cables



List Price wef. 25 May 2024

HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES

FINOLEX MAKE HALOGARD SINGLE CORE UNSHEATHED HALOGEN FREE FLAME RETARDANT INSULATED CABLES IN VOLTAGE GRADE UPTO 1100V

HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES

Product Code	Conductor Area [sq.mm.]	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10412013	0.75	1,335	20
10403	1.00	1,740	20
10404	1.50	2,515	12
10405	2.50	4,085	12

Product Code	Conductor Area [sq.mm.]	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10406	4.00	6,295	8
10407	6.00	9,400	4

HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area [sq.mm.]	LP per coil Rs.	Length per coil	No. of Coils packed in a Master Carton
10413016	1.00	3,380	180	8
10414016	1.50	4,905	180	6
10415016	2.50	8,000	180	4
10406016	4.00	12,340	180	4
10407016	6.00	18,440	180	4

PACKING : Finolex HFFR Insulated industrial cables are supplied in 90 M coils in mono cartons which are packed in master cartons as specified above.
 COLOURS : Finolex Cables are available in five common colours: Red, Yellow, Blue, Black & Green.

Flexible Cables



FLEXIBLE CABLES - SINGLE CORE

FINOLEX FR PVC INSULATED UNSHEATHED SINGLE CORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS:694/2010 UPTO 630 SQ.MM.

SINGLE CORE (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil (Rs.)
14001	0.50	925
14002	0.75	1,355
14003	1.00	1,770

Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil (Rs.)
14104	1.50	2,580
14105	2.50	4,190
14206	4.00	6,505

SINGLE CORE Heavy Duty (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
14207	6	9760
14208	10	16,960
14209	16	25,695
14210	25	40,140
14211	35	56,035
14212	50	79,460

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
14513	70	1,15,765
14514	95*	1,53,145
14515	120*	1,96,660
14516	150*	2,43,550
14517	185*	3,01,000
14518	240*	3,95,710

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

FLEXIBLE CABLES - MULTICORE

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

TWO CORE (Unsheathed): Two single cores Red & Black laid up & overall sheathed with PVC. Standard colour-Black

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17002	0.50	2,450
17002	0.75	3,370
17002	1.00	4,190

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17102	1.50	5,670
17102	2.50	9,160
17202	4.00	14,305

THREE CORE (Unsheathed): Three single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Black & Yellow/Green is for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17003	0.50	3,305
17003	0.75	4,585
17003	1.00	5,795

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17103	1.50	8,045
17103	2.50	12,860
17203	4.00	20,365

FOUR CORE (Unsheathed): Four single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Blue, Yellow & Yellow/Green for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17004	0.50	4,195
17004	0.75	5,850
17004	1.00	7,475

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17104	1.50	10,530
17104	2.50	17,030
17204	4.00	26,870

Packaging : Cables shall be supplied in Standard length of 100 M

SIX TO NINETEEN CORES*: The Inner cores Red, Black, Yellow, Blue, Green, White, distinguishable strip/spiral on base colour and Yellow/Green is for earthing. Colour of sheath - Black.

SIX CORE* (Unsheathed): (There will be one dummy core in the centre)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17006	0.50	6,220
17006	0.75	8,905
17006	1.00	11,255

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17106	1.50	15,865
17106	2.50	25,680
17206	4.00	41,075

SEVEN CORES (1+6)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17008	0.50	7,265
17008	0.75	10,205
17008	1.00	13,035

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17107	1.50	18,450
17107	2.50	29,855
17207	4.00	47,510

EIGHT CORES*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17008	0.50	8,170
17008	0.75	11,535
17008	1.00	14,725

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17108	1.50	20,995
17108	2.50	34,065
17208	4.00	54,120

TEN CORES (2+8)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17010	0.50	9,920
17010	0.75	14,240
17010	1.00	18,200

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17110	1.50	25,825
17110	2.50	42,410
17210	4.00	67,175

TWELVE CORES (3+9)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17012	0.50	11,740
17012	0.75	16,885
17012	1.00	21,625

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17112	1.50	30,730
17112	2.50	50,780
17212	4.00	80,180

FOURTEEN TO NINETEEN CORES : Inner cores: One core Yellow, one core Blue and rest cores in Grey. Colour of sheath is Black.

FOURTEEN CORES: (4+10)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17014	0.50	13,700
17014	0.75	19,545
17014	1.00	25,095

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17114	1.50	35,920
17114	2.50	59,185
17214	4.00	93,100

SIXTEEN CORES (8 +11)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17016	0.50	15,545
17016	0.75	22,360
17016	1.00	28,700

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17116	1.50	41,260
17116	2.50	67,375
17216	4.00	1,06,525

NINETEEN CORES (1+6 + 12)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17019	0.50	18,195
17019	0.75	26,260
17019	1.00	33,935

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17119	1.50	48,760
17119	2.50	79,285
17219	4.00	1,25,720

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packing: Cables shall be supplied in Standard length of 100 M

FLEXIBLE CABLES - MULTICORE HEAVY DUTY

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

3 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17203074	6	30,505
17203084	10	52,285
17203094	16*	81,175
17203104	25*	1,25,375
17203114	35*	1,75,720

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17203124	50*	2,52,055
17503134	70*	3,56,225
17503144	95*	4,70,210
17503154	120*	6,28,015

4 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17204074	6	40,015
17204084	10	68,435
17204094	16*	1,05,745
17204104	25*	1,66,105
17204114	35*	2,32,050

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17204124	50*	3,30,580
17504134	70*	4,70,940
17504144	95*	6,22,800
17504154	120*	8,13,575

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packing: Cables shall be supplied in Standard length of 100 M



Communication Cables



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

Coaxial Cables – Jelly



List Price wef. 25 May 2024

COAXIAL CABLES - JELLY

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 59 CU	1,790	5,460
RG 6 CU	2,505	7,640
RG 11 CU	5,785	17,644

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 6 CCS	1,495	4,560
RG 11 CCS	3,005	9,165

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 11 CCA	3,470	10,584

Finolex Co-axial Cables With Electrolytic Grade Solid Bare Copper Conductor, Gas Injected Physical Polyethelene Foam Insulation, With Laminated aluminium Tape and AL Wire Braid, Jelly Flooded And PVC Jacketing In Black Colour.

Finolex Coaxial Cables with copper clad steel conductor (CCS), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL Wire braid, Jelly flooded and PVC Jacketing in Black colour.

Finolex Coaxial Cables with copper clad aluminium conductor (CCA), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL. Wire braid, Jelly flooded and PVC Jacketing in Black colour.

CCTV Cable



Product Code	Product Description	Unit	List Price (Rs.)
65913013	RG59 JFX1+3X0.15 SQMM CCTV WHITE 90 MTR	90 Mtr	3,125
65913018	RG59 JFX1+3X0.15SQMM CCTV WHITE 305M	305 Mtr	10,590
65914013	RG59 JF X1+4X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,415
65914018	RG59 JF X1+4X0.15 SQMM CCTV WHITE 305 M	305 Mtr	11,573
65916013	RG59 JF XI +6X0.15 SQMM CCTV WHITE 90 M	90 Mtr	4,045
65916018	RG59 JF X1+6X0.15 SQMM CCTV WHITE 305 M	305 Mtr	13,708
65923033	CCTV CABLE GEN Z (3+1) 90 M	90 Mtr	1,780
65923036	CCTV CABLE GEN Z (3+1) 180 M	180 Mtr	3,515
65924033	CCTV CABLE GEN Z (4+1) 90 M	90 Mtr	1,995
65924036	CCTV CABLE GEN Z (4+1) 180 M	180 Mtr	3,955
65913033	CCTV CABLE (3+1) 90 MTR	90 Mtr	2,030
65913036	CCTV CABLE (3+1) 180 MTR	180 Mtr	4,020
65914033	CCTV CABLE (4+1) 90 MTR	90 Mtr	2,285
65914036	CCTV CABLE (4+1) 180 MTR	180 Mtr	4,510



Telephone Cable

TELEPHONE CABLES

FINOLEX TELEPHONE CABLES WITH HIGH DENSITY POLYETHELENE INSULATED, SOLID ANNEALED HIGH CONDUCTIVITY BARE COPPER WITH DIA 0.5MM, PAIRED, POLYESTER TAPED FOR SIZES 10 PAIR AND ABOVE AND SHEATHED WITH HIGH OXYGEN INDEX FIRE RETARDENT PVC COMPOUND, GENERALLY CONFORMING TO ITD SPECIFICATIONS G / WIR-06/02. MAY 94 AND FINOLEX SPECIFICATIONS.

Product Code	Type	LP Per 90Mtr (Rs.)
31050013	1 pair	840
31050023	2 pair	1,500
31050033	3 pair	2,225
31050043	4 pair	2,930
31050053	5 pair	3,650

Product Code	Type	LP Per 90Mtr (Rs.)
31050103	10 pair	7,090
31050203	20 pair	13,555
31050503	50 pair	33,260
31051001	100 pair	64,900

Standard Length of the coil is 90 Mtrs. | Standard Length of the drum is 500m +/-10%

Finolex Telephone cables with high density polyethelene insulated, solid annealed high conductivity bare copper with DIA 0.4 mm, paired, polyester taped for sizes 10 pair and above sheathed with high oxygen index Fire Retardent PVC compound, generally conforming to ITD specifications G / WIR-06/02.May 94 and Finolex specifications.

Product Code	Type	LP Per 90Mtr (Rs.)
31040013	1 pair	585
31040023	2 pair	1,050
31040033	3 pair	1,550
31040043	4 pair	1,995
31040053	5 pair	2,455

Product Code	Type	LP Per 90Mtr (Rs.)
31040103	10 pair	4,935
31040203	20 pair	9,295
31040503	50 pair	22,510
31041001	100 pair	43,235


Standard Length of coil is 90 Meters. | Standard Length of the drum is 500m +/-10%

A nylon ripcord is provided for slitting the jacket without damaging the insulated cores. The outersheath colour is Grey. For any other pairage please refer to Marketing Department.



LAN Cable

Product Code	Product Description	Unit	List Price (Rs.)
32105048	UTP-4 Pair CAT 5 Enhanced LAN Cable	305 Mtr	9,480
32255042	0.5x4P UTP CAT-6 LAN * YLW * 305M	305 Mtr	11,700
32245042	0.5x4P UTP CAT-6 LAN * GRY * 305M	305 Mtr	11,700
32275042	0.5x4P UTP CAT-6 LAN * BLU * 305M	305 Mtr	11,700
32265042	0.5x4P UTP CAT-6 LAN * GRN * 305M	305 Mtr	11,700
32925048	0.5x4 Pair UTP Cat-5 (E) CCA LAN Cable	305 Mtr	6,500
32105028	0.5x2 Pair UTP CAT-5 E LAN Cable 250M	250 Mtr	3,735
32955048	0.5x4P UTP CAT-6 CCA LAN 305 X 2	305 Mtr	8,065
32206048	4P 23AWG UTP -CAT6A LAN GRY	305 Mtr	16,249
32245044	0.5 x4P UTP CAT6 LAN *GRY* 100M X 2	305 Mtr	3,836
32255248	0.5x4P UTP CAT6 LAN DOSTH 305	305 Mtr	14,876
32440608	4P 23 AWG CAT6 PE ECCS ARMD CBL 305M	305 Mtr	19,481




Speaker Cable

List Price wef. 25 May 2024

Product Code	Product Description	No. of coils in Master Carton	Unit	List Price (Rs.)
60324024	Speaker Cable 0.5 SQMM [Transparent]	6	100 Mtr	1,895
60325024	Speaker Cable 0.75 SQMM [Transparent]	6	100 Mtr	2,780
60326024	Speaker Cable 1 SQMM [Transparent]	6	100 Mtr	3,435
60327024	Speaker Cable 1.5 SQMM [Transparent]	6	100 Mtr	5,120
60328024	Speaker Cable 2.0 SQMM [Transparent]	6	100 Mtr	7,970
60329024	Speaker Cable 2.5 SQMM [Transparent]100M	6	100 Mtr	8,530
60324022	Speaker Cable 0.50 SQ MM [Transparent] 25 M	24	25 Mtr	475
60325022	Speaker Cable 0.75 SQ MM [Transparent] 25 M	24	25 Mtr	695
60326022	Speaker Cable 1.00 SQ MM [Transparent] 25 M	24	25 Mtr	860
60327022	Speaker Cable 1.50 SQ MM [Transparent] 25 M	24	25 Mtr	1,280

PACKING : Available in 100 M coils AND 25 M coil



Agriculture



High grade
99.97% pure bare
copper conductor




Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

3 Core Flat Cable



3 CORE FLAT CABLE

FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS CONFORMING TO AND MARKED WITH IS694:2010

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13713041	1.50	8,820
13713051	2.50	13,675
13703061	4.00	20,420
13803071	6.00	30,180
13803081	10.00	52,505
13803091	16.00	81,275

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13803101	25.00	1,27,095
13803111	35.00	1,75,990
13803121*	50.00	Prices for these sizes can be given on request.
13803131*	70.00	
13803141*	95.00	

FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13863049	1.50	9,261
13863059	2.50	14,359

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823069	4.00	21,441

FINOLEX THREE CORE FLAT CABLES WITH BARE INCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823079	6.00	31,689
13823089	10.00	55,130
13823099	16.00	85,339

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823109	25.00	1,33,450
13823119	35.00	1,84,790

3 CORE FLAT CCA CABLES

FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CLAD ALUMINIUM CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853079	8	84/.36	18,695
13853089	14	140/.36	31,055
13853099	23	226/.36	49,295

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853109	36	354/.36	72,725
13853119	50	594/.36	1,00,270

PACKING : Cables are supplied in drums in continuous length. Minimum order quantity is 500 mtrs. If any specific length is required, please refer to us. We reserve the right to supply non-standard lengths upto 20% of the quantity ordered.

NOTE : The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

PVC Insulated Winding Wires




List Price wef. 25 May 2024

PVC INSULATED WINDING WIRES

FINOLEX PVC INSULATED WINDING WIRES WITH BRIGHT ANNEALED SOLID BARE COPPER CONDUCTOR FOR SUBMERSIBLE PUMP MOTORS CONFORMING TO AND MARKED AS PER IS:8783 PART-4 SECTION-1:1995

Product Code	Conductor Nominal (mm)	List Price per 100 Mtr (Rs.)	Std. Length Per Mono Carton (Mtrs)	No. of Mono Cartons Packed Per Master Carton
13000601	0.60	535	1000	6
13000602	0.60	535	500	6
13000701	0.70	725	1000	6
13000702	0.70	725	500	6
13000801	0.80	940	1000	6
13000802	0.80	940	500	6
13000901	0.90	1,180	1000	5
13000902	0.90	1,180	500	6
13001001	1.00	1,445	1000	5
13001002	1.00	1,445	500	6
13001101	1.10	1,740	1000	4
13001102	1.10	1,740	500	6
13001201	1.20	2,065	1000	4
13001202	1.20	2,065	500	6
13001301	1.30	2,415	1000	3
13001302	1.30	2,415	500	6
13001402	1.40	2,805	500	5
13001502	1.50	3,215	500	5
13001602	1.60	3,645	500	4
13001702	1.70	4,110	500	4
13001802	1.80	4,610	500	4
13001902	1.90	5,125	500	3
13002002	2.00	5,710	500	3
13002102	2.10	6,285	500	3
13002202	2.20	6,885	500	2
13002302	2.30	7,515	500	2
13002402	2.40	8,195	500	2
13002502	2.50	8,880	500	2
13002602	2.60	9,600	500	2
13002702	2.70	10,325	500	2
13002804	2.80*	11,130	250	3
13003004	3.00*	12,745	250	2

NOTE : The items marked as * are non stock items. These sizes may be supplied in 250m standard lengths. Sizes above 3mm can also be supplied on request. Please refer to Marketing Department regarding delivery period, indicating size, quantity and lengths required.
 PACKING : Finolex Winding Wire coils are supplied in mono cartons packed in master cartons as shown above.



Automobile / Solar Power



List Price wef. 25 May 2024



High thermal rating to withstand extreme temperatures



Excellent resistant to heat pressure



Long life & highly durable cables

Auto Battery Cables



List Price wef. 25 May 2024

AUTO (BATTERY) CABLES : IS 2465

FINOLEX PVC INSULATED HEAVY DUTY AUTO (BATTERY) CABLES WITH BRIGHT ANNEALED COPPER CONDUCTOR BUNCHED TOGETHER INSULATED WITH DIELECTRIC FINOLEX PVC COMPOUND (IMPERVIOUS TO OILS, GREASES, ACIDS, PETROL AND WATER) AS PER IS:2465

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
22209	226/.3	16	6,410	25,695
22210	354/.3	25	10,045	40,140
22211	495/.3	35	14,010	56,035
22212	703/.3	50	19,865	79,460
22513	360/.5	70	28,950	1,15,765
22514	475/.5 *	95	38,280	1,53,145
22515	608/.5 *	120	49,165	1,96,660
22516	750/.5 *	150	60,885	2,43,550
22517	925/.5 *	185	75,245	3,01,000
22518	1221/.5 *	240	98,930	3,95,710

PVC INSULATED AND PVC SHEATHED HIGH TENSION IGNITION CABLE FOR AUTOMOBILES

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2253	17/.3	1.20	880	3,515

105° CENTIGRADE TEMPERATURE RESISTANT PVC INSULATED THIN WALL PLAIN/STRIPED AUTOMOBILE CABLES CONFORMING TO DIN 72551 - PART 6

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2301	16/.21	0.50	220	880
2302	24/.21	0.75	335	1,320
2303	32/.21	1.00	445	1,750
2304	30/.26	1.50	650	2,570
2305	50/.26	2.50	1,070	4,260
2306	56/.31	4.00	1,770	7,070
2307	84/.31	6.00	2,625	10,505

COLOURS : Finolex Auto (Battery) Cables are generally available in Black & Red colours only. Finolex Auto Cables are generally available in eleven base colours i.e. Red, Blue, Black, Yellow, Green, White, Pink, Violet, Grey, Orange & Brown. In addition, combinations of base and striped colours are also available.

NOTE: The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

Solar Cables

List Price wef. 25 May 2024

SOLAR DC CABLE

FINOLEX ANNEALED TIN COPPER CONDUCTOR, SINGLE CORE, MULTISTRAND, CROSS LINKED, ZERO HALOGEN LOW SMOKE INSULATION AND SHEATHING, HEAT RESISTANT UP TO 1200 C AND UV RESISTANT SOLAR DC CABLE AS PER TUV 2 Pfg 1169 / 08.2007

**Product Code	Conductor Area (sq.mm.)	List Price per 100 Mtr (Rs.)	Packing
16906011	4	8 585	STANDARD LENGTH OF 500 MTR
16907011	6	12,135	STANDARD LENGTH OF 300 MTR

NOTES	
1. Prices	GST extra as applicable.
2. Printing	Finolex industrial cables are printed with Company Name , Logo, Size(sq.mm) & Voltage Grade.
3. Delivery	F.O.R. any station in India by road transport.
4. Product Code	<p>The full product code is of 8 digits. For example :</p> <p>22209014 - Auto Cable 0.3 conductor 16 sqm Black 100m</p> <p>22513102 - Auto Cable 0.5 conductor 70 sqm Red 25m.</p> <p>a) First three digits are for type of cable i.e. 222 represents Auto Cable IS Specifications for 0.3 conductor, 225 represents Auto Cable IS specifications for 0.5 conductor.</p> <p>b) Next two digits represent size in Sqmm. i.e. 09=16.0 sqmm, 10=25.0, 11=35.0, 12=50.0, 13=70.0, 14=95.0, 15=120.0, 16=150.0, 17=185.0, 18=240.0 sqmm.</p> <p>c) Next two digits are for colour i.e. 01 =Blk, 02=Blu, 04=Brn, 05=Grn, 07=Gry, 08=Orn, 09=Pnk, 10=Red, 11=Vio, 12=Wht, 13=Yel.</p> <p>d) Last digit is for length in meters i.e. 1=Mtrs (non-standard length), 2=25m coil, 4=100m coil.</p>
5. Alteration	This Price List supersedes all our earlier price lists and is subject to change without notice.

Visit us at: www.finolex.com | /Finolexcables | /Finolexcables | /Finolex.Cables



Finolex
Cables Limited

AN IS/ISO 9001:2015 CERTIFIED COMPANY


26-27, Mumbai-Pune Road, Pimpri, Pune - 411018, India.
Tel: 020-27506200 | Fax: 020-27472239
Visit us at: www.finolex.com | Email: sales@finolex.com
CIN: L31300MH1967PLC016531

Finolex gets people together

For technical literature please contact our Branch Offices:

Ahmedabad: 7926584637 / 26575639 | **Bengaluru:** 7022979589 |
Bhubaneswar: 0674-2971922 / 2971188 | **Chennai:** 044-28269322 /
 28231514 | **Chandigarh:** 0172-4064047 | **Cochin:** 9388689670 |
Coimbatore: 0422-2330997 | **Dharwad:** 8362746440 | **Goa:** 8322782003 /
 2782065 | **Gurgaon:** 9896763770 | **Guwahati:** 9864027312 / 8135029423
Indore: 7314911723 | **Jaipur:** 9929111411 | **Kolkata:** 033-24192494 /
 24192495 | **Lucknow:** 052-24035031 | **Mumbai:** 022-22820062 | **New**
Delhi: 011-23324748 / 23353160 | **Patna:** 9934107999 | **Pune:**
 020-27506200 | **Raipur:** 7008336581 | **Ranchi:** 8101383841 |
Secunderabad: 040-27811161 | **Uttarakhand:** 9760045003 | **Vadodara:**
 9879555568 | **Vijayawada:** 9848043967

Sample card available on request



All information given herein is in good faith. Finolex shall not be liable for any damages arising out of incorrect use or interpretation. The Company reserves the right to change any specifications / information without any prior notice.

In order to derive maximum benefit and utilisation of our products, we advise that these products are stored, installed and commissioned as per the norms prevailing in the place of installation. When decommissioned, these should be disposed using appropriate methods/process specified in respective state / location of use so as not to affect the environment adversely.