



REDEFINING EFFICIENCY

**Smart Solutions for a
Sustainable Future**

TMI Expertise

Price List | Edition 2026-27



Index

TMI Expertise	Page No.
Digital Clamp Meters	1
Insulation Testers	2
Earth Testers	10
Earth Testers & Low Resistance Meters	13
Terms and conditions	15

Digital Clamp Meters



Material Code	Model No	Description	Digits / Counts	Category	LP (INR)
IT91-2010000000000	Agam ALCT 66A	AC Leakage Clamp Meter 0.001mA to 60A	[4], 9999	CAT II	19,070
IT91-3010000000000	Agam ALCT 606A	AC Leakage Clamp Meter 0.1mA to 600A			22,495
IT91-4010000000000	Agam ALCT 60A	AC/DC Leakage Clamp Meter up to 60A		CAT III	24,420

\$ For productwise approbations, please contact local sales office



Insulation Testers



Material Code	Model No	Description	Insulation Resistance Range	Voltage Range	LP (INR)
IT91-1010000000000	Agam AIT 501	5kV Digital Insulation Tester	Upto 1TΩ	5kV	43,225

Material Code	Model No	Description	Insulation Resistance Range	Voltage Range	LP (INR)
---------------	----------	-------------	-----------------------------	---------------	----------

Analog Low-Voltage Insulation Testers

IT84-0111000000000	ITHV-2525	ITHV2525 1M STD BOX	0-2500 MΩ (Voltage - 2500V)	2.5kV	9,545
IT84-0211000000000	ITHV-2550	ITHV2550 1M STD BOX	0-5000 MΩ (Voltage - 2500V)		
IT84-0311000000000	ITHV-25100	ITHV25100 1M STD BOX	0-10000 MΩ (Voltage - 2500V)		
IT84-0411000000000	ITHV-25200	ITHV25200 1M STD BOX	0-20000 MΩ (Voltage - 2500V)		11,495
IT84-1011000000000	ITHV-25500	ITHV25500 1M STD BOX	0-50000 MΩ (Voltage - 2500V)		13,445
IT84-0511000000000	ITHV-5050	ITHV5050 1M STD BOX	0-5000 MΩ (Voltage - 5000V)	5kV	12,480
IT84-0611000000000	ITHV-50100	ITHV50100 1M STD BOX	0-10000 MΩ (Voltage - 5000V)		
IT84-0711000000000	ITHV-50200	ITHV50200 1M STD BOX	0-20000 MΩ (Voltage - 5000V)		13,445
IT84-0811000000000	ITHV-50500	ITHV50500 1M STD BOX	0-50000 MΩ (Voltage - 5000V)		15,400
IT84-0911000000000	ITHV-501000	ITHV501000 1M STD BOX	0-100000 MΩ (Voltage - 5000V)		19,480

Upgradation Cost for ITHV Series

To order ITHV with Dual Insulation Range**	1,560
To order ITHV Dual Insulation Range with Dual Voltage**	3,475

**Net price = LP of Upgradation + LP of Higher Insulation range model

\$ For productwise approbations, please contact local sales office

Insulation Testers



Material Code	Model No	Description	Insulation Resistance Range	Voltage Range	LP (INR)
IT / ITI / ITI-V Series Metal Body with guard terminals (IS:2992)					
IT83-0111000000000	ITI-102	ITI 102 1M STD BOX	0-20 MΩ (Voltage - 100V)	100V	5,705
IT83-0211000000000	ITI-105	ITI 105 1M STD BOX	0-50 MΩ (Voltage - 100V)		
IT83-0311000000000	ITI-252	ITI 252 1M STD BOX	0-20 MΩ (Voltage - 250V)	250V	5,705
IT83-0411000000000	ITI-255	ITI 255 1M STD BOX	0-50 MΩ (Voltage - 250V)		
IT83-0511000000000	ITI-5010	ITI5010 1M STD BOX	0-100 MΩ (Voltage - 500V)	500 V	6,330
IT83-0611000000000	ITI-5020	ITI5020 1M STD BOX	0-200 MΩ (Voltage - 500V)		
IT83-0711000000000	ITI-5050	ITI5050 1M STD BOX	0-500 MΩ (Voltage - 500V)		
IT83-0811000000000	ITI-50100	ITI50100 1M STD BOX	0-1000 MΩ (Voltage - 500V)	1000V	6,730
IT83-0911000000000	ITI-50200	ITI50200 1M STD BOX	0-2000 MΩ (Voltage - 500V)		
IT83-1011000000000	ITI-10010	ITI10010 1M STD BOX	0-100 MΩ (Voltage - 1000V)		
IT83-1111000000000	ITI-10020	ITI10020 1M STD BOX	0-200 MΩ (Voltage - 1000V)	1000V	6,730
IT83-1211000000000	ITI-10050	ITI10050 1M STD BOX	0-500 MΩ (Voltage - 1000V)		
IT83-1311000000000	ITI-100100	ITI100100 1M STD BOX	0-1000 MΩ (Voltage - 1000V)		
IT83-1411000000000	ITI-100200	ITI100200 1M STD BOX	0-2000 MΩ (Voltage - 1000V)	500 V	6,330
IT83-1511000000000	ITI-V-5010	ITIV5010 1M STD BOX	0-100 MΩ (Voltage - 500V)		
IT83-1611000000000	ITI-V-10020	ITIV10020 1M STD BOX	0-200 MΩ (Voltage - 500V)		

\$ For productwise approbations, please contact local sales office

Insulation Testers



Material Code	Model No	Description	Insulation Resistance Range	Voltage Range	LP (INR)
Analog Multi range Insulation Testers					
ITMR Series (Hand Driven Generator Type)					
IT85-0111000000000	ITMR-1-122	ITMR-1-122 1M STD BOX	0-20 MΩ (Voltage - 100V) 0.2-200 MΩ (Voltage - 100V)	100V	8,565
IT85-0211000000000	ITMR-1-255	ITMR-1-255 1M STD BOX	0-50 MΩ (Voltage - 250V) 0.5-500 MΩ (Voltage - 250V)	250V	
IT85-0311000000000	ITMR-1-5110	ITMR-1-5110 1M STD BOX	0-100 MΩ (Voltage - 500V) 0-1000 MΩ (Voltage - 500V)	500 V	
IT85-0411000000000	ITMR-1-10220	ITMR-1-10220 1M STD BOX	0-200 MΩ (Voltage - 1000V) 0-2000 MΩ (Voltage - 1000V)	1000V	
IT85-0511000000000	ITMR-2-51102	ITMR-2-51102 1M STD BOX	0-1000 MΩ (Voltage - 500V) 0-200 MΩ (Voltage - 100V)	500V, 100V	9,800
IT85-0611000000000	ITMR-2-101202	ITMR-2-101202 1M STD BOX	0-2000 MΩ (Voltage - 1000V) 0-200 MΩ (Voltage - 100V)	1000V, 100V	
IT85-0711000000000	ITMR-2-1052010	ITMR-2-1052010 1M STD BOX	0-2000 MΩ (Voltage - 1000V) 0-1000 MΩ (Voltage - 500V)	1000V, 500V	

\$ For productwise approbations, please contact local sales office

Insulation Testers



Material Code	Model No	Description	Insulation Resistance Range	Voltage Range	LP (INR)
Analog Multi range Insulation Testers					
ITMR Series (Hand Driven Generator Type)					
IT85-0811000000000	ITMR-3	ITMR-3 1M STD BOX	0-2000 MΩ (Voltage - 1000V) Continuity 0-20kΩ & Discharge 0-1000 MΩ (Voltage - 500V) Continuity 0-20kΩ & Discharge 0-500 MΩ (Voltage - 250V) Continuity 0-20kΩ	1000V, 500V, 250V	14,260
IT85-0911000000000	ITMR-4	ITMR-4 1M STD BOX	0-200 MΩ (Voltage - 1000V) Continuity 0-500Ω 0-100 MΩ (Voltage - 500V) Continuity 0-500Ω 0-50 MΩ (Voltage - 250V) Continuity 0-500Ω 0-20 MΩ (Voltage - 100V) Continuity 0-500Ω	1000V, 500V, 250V, 100V	13,045

\$ For productwise approbations, please contact local sales office



Insulation Testers



Material Code	Model No	Description	Insulation Resistance Range	Voltage Range	LP (INR)
ITHV Series - PC Body with guard terminals (IS:2992)					
IT84-3611000000P00	ITHVP-2525	ITHVP2525 1M STD BOX	0-2500 MΩ (Voltage - 2500V)	2.5kV	7,075
IT84-2011000000P00	ITHVP-2550	ITHVP2550 1M STD BOX	0-5000 MΩ (Voltage - 2500V)		
IT84-2111000000P00	ITHVP-25100	ITHVP25100 1M STD BOX	0-10000 MΩ (Voltage - 2500V)		7,815
IT84-3511000000P00	ITHVP-25200	ITHVP25200 1M STD BOX	0-20000 MΩ (Voltage - 2500V)		8,530
IT84-2311000000P00	ITHVP-25500	ITHVP25500 1M STD BOX	0-50000 MΩ (Voltage - 2500V)		9,970
IT84-2611000000P00	ITHVP-5050	ITHVP5050 1M STD BOX	0-5000 MΩ (Voltage - 5000V)	5kV	9,255
IT84-2211000000P00	ITHVP-50100	ITHVP50100 1M STD BOX	0-10000 MΩ (Voltage - 5000V)		
IT84-2511000000P00	ITHVP-50200	ITHVP50200 1M STD BOX	0-20000 MΩ (Voltage - 5000V)		9,970
IT84-2711000000P00	ITHVP-50500	ITHVP50500 1M STD BOX	0-50000 MΩ (Voltage - 5000V)		11,415
IT84-2411000000P00	ITHVP-501000	ITHVP501000 1M STD BOX	0-100000 MΩ (Voltage - 5000V)		14,445
ITS / ITS-C Series Polycarbonate Body					
IT80-3110000000000	ITS-5010	ITS 5010 1M CROC CLIP STD BOX	100 MΩ	500 V	2,570
IT80-4110000000000	ITS-10020	ITS 10020 1M CROC CLIP STD BOX	200 MΩ	1000 V	2,640
IT82-3120000000000	ITC-5010	ITC 5010 1M STD BOX with continuity	100 MΩ (Voltage - 500V)	500 V	2,500
IT82-4120000000000	ITC-10020	ITC 10020 1M STD BOX with continuity	200 MΩ (Voltage - 500V)	1000 V	2,730

\$ For productwise approbations, please contact local sales office

Insulation Testers



Material Code	Model No	Description	Insulation Resistance Range	Voltage Range	LP (INR)
ITI / ITI-V Series PC Body with guard terminals (IS:2992)					
IT83-2711000000P00	ITIP-102	ITIP102 1M STD BOX	0-20 MΩ (Voltage - 100V)	100V	5,020
IT83-2811000000P00	ITIP-105	ITIP105 1M STD BOX	0-50 MΩ (Voltage - 100V)		5,020
IT83-3111000000P00	ITIP-252	ITIP252 1M STD BOX	0-20 MΩ (Voltage - 250V)	250V	5,020
IT83-3211000000P00	ITIP-255	ITIP255 1M STD BOX	0-50 MΩ (Voltage - 250V)		5,020
IT83-2011000000P00	ITIP-5010	ITIP5010 1M STD BOX	0-100 MΩ (Voltage - 500V)	500 V	5,020
IT83-2211000000P00	ITIP-5020	ITIP5020 1M STD BOX	0-200 MΩ (Voltage - 500V)		5,020
IT83-2311000000P00	ITIP-5050	ITIP5050 1M STD BOX	0-500 MΩ (Voltage - 500V)		5,570
IT83-2411000000P00	ITIP-50100	ITIP50100 1M STD BOX	0-1000 MΩ (Voltage - 500V)		5,570
IT83-2511000000P00	ITIP-50200	ITIP50200 1M STD BOX	0-2000 MΩ (Voltage - 500V)		5,570
IT83-3311000000P00	ITIP-10010	ITIP10010 1M STD BOX	0-100 MΩ (Voltage - 1000V)		1000V
IT83-2111000000P00	ITIP-10020	ITIP10020 1M STD BOX	0-200 MΩ (Voltage - 1000V)	5,570	
IT83-2611000000P00	ITIP-10050	ITIP10050 1M STD BOX	0-500 MΩ (Voltage - 1000V)	5,930	
IT83-2911000000P00	ITIP-100100	ITIP100100 1M STD BOX	0-1000 MΩ (Voltage - 1000V)	5,930	
IT83-3010000000P00	ITIP-100200	ITIP100200 1M STD BOX	0-2000 MΩ (Voltage - 1000V)	5,930	
IT83-3411000000P00	ITIP-V-5010	ITIPV5010 1M STD BOX	0-100 MΩ (Voltage - 500V)	500 V	
IT83-3511000000P00	ITIP-V-10020	ITIPV10020 1M STD BOX	0-200 MΩ (Voltage - 500V)		5,445

\$ For productwise approbations, please contact local sales office

Insulation Testers



Material Code	Model No	Description	Insulation Resistance Range	Voltage Range	LP (INR)
ITMR Series PC Body with guard terminals (IS:2992)					
IT85-1211000000P00	ITMRP-1-122	ITMRP-1-122 1M STD BOX	0-20 MΩ (Voltage - 100V)	100V	6,355
			0.2-200 MΩ (Voltage - 100V)		
IT85-1311000000P00	ITMRP-1-255	ITMRP-1-255 1M STD BOX	0-50 MΩ (Voltage - 250V)	250V	6,355
			0.5-500 MΩ (Voltage - 250V)		
IT85-1411000000P00	ITMRP-1-5110	ITMRP-1-5110 1M STD BOX	0-100 MΩ (Voltage - 500V)	500 V	6,355
			0-1000 MΩ (Voltage - 500V)		
IT85-1511000000P00	ITMRP-1-10220	ITMRP-1-10220 1M STD BOX	0-200 MΩ (Voltage - 1000V)	1000V	6,355
			0-2000 MΩ (Voltage - 1000V)		
IT85-1611000000P00	ITMRP-2-51102	ITMRP-2-51102 1M STD BOX	0-1000 MΩ (Voltage - 500V)	500V, 100V	7,265
			0-200 MΩ (Voltage - 100V)		
IT85-1711000000P00	ITMRP-2-101202	ITMRP-2-101202 1M STD BOX	0-2000 MΩ (Voltage - 1000V)	1000V, 100V	7,265
			0-200 MΩ (Voltage - 100V)		
IT85-1011000000P00	ITMRP-2-1052010	ITMRP-2-1052010 1M STD BOX	0-2000 MΩ (Voltage - 1000V)	1000V, 500V	7,265
			0-1000 MΩ (Voltage - 500V)		

\$ For productwise approbations, please contact local sales office

Insulation Testers



Material Code	Model No	Description	Insulation Resistance Range	Voltage Range	LP (INR)
ITMR Series PC Body with guard terminals (IS:2992)					
IT85-1811000000P00	ITMRP-3	ITMRP-3 1M STD BOX	0-2000 MΩ (Voltage - 1000V) Continuity 0-20kΩ & Discharge 0-1000 MΩ (Voltage - 500V) Continuity 0-20kΩ & Discharge 0-500 MΩ (Voltage - 250V) Continuity 0-20kΩ & Discharge	1000V, 500V, 250V	10,575
IT85-1111000000P00	ITMRP-4	ITMRP-4 1M STD BOX	0-200 MΩ (Voltage - 1000V) Continuity 0-500Ω 0-100 MΩ (Voltage - 500V) Continuity 0-500Ω 0-50 MΩ (Voltage - 250V) Continuity 0-500Ω 0-20 MΩ (Voltage - 100V) Continuity 0-500Ω	1000V, 500V, 250V, 100V	9,675

\$ For productwise approbations, please contact local sales office



Earth Testers



Material Code	Model No	Description	Earth Resistance Range	LP (INR)
Earth & Continuity Testers – Analog				
ET Series (IS:9223) - Direct Indicating Type (Four Terminals)				
Single Range				
EA01-0110000000000	SET-3	SET 3 STD BOX	0-3 Ω	5,795
EA01-0210000000000	SET-10	SET 10 1M STD BOX	0-10 Ω	
EA01-0310000000000	SET-50	SET 50 STD BOX	0-50 Ω	
EA01-0410000000000	SET-100	SET 100 1M STD BOX	0-100 Ω	
EA01-0510000000000	SET-500	SET 500 1M STD BOX	0-500 Ω	
Double Range				
EA01-0610000000000	DET-1	DET 1 STD BOX	0-1 Ω / 0-10 Ω	6,150
EA01-0710000000000	DET-10	DET 10 1M STD BOX	0-10 Ω / 0-100 Ω	
EA01-0810000000000	DET-20	DET 20 STD BOX	0-20 Ω / 0-200 Ω	
EA01-0910000000000	DET-50	DET 50 STD BOX	0-50 Ω / 0-500 Ω	
EA01-1010000000000	DET-100	DET 100 STD BOX	0-100 Ω / 0-1000 Ω	
EA01-1110000000000	DET-500	DET 500 STD BOX	0-500 Ω / 0-5000 Ω	

§ For productwise approbations, please contact local sales office

Earth Testers



Material Code	Model No	Description	Earth Resistance Range	LP (INR)
Earth & Continuity Testers – Analog				
ET Series (IS:9223) - Direct Indicating Type (Four Terminals)				
Triple Range				
EA01-1210000000000	TET-1	TET 1 STD BOX	0-1 Ω / 0-10 Ω / 0-100 Ω	6,625
EA01-1310000000000	TET-3	TET 3 STD BOX	0-3 Ω / 0-30 Ω / 0-300 Ω	
EA01-1410000000000	TET-5	TET 5 STD BOX	0-5 Ω / 0-50 Ω / 0-500 Ω	
EA01-1510000000000	TET-10	TET 10 STD BOX	0-10 Ω / 0-100 Ω / 0-1000 Ω	
EA01-1610000000000	TET-50	TET 50 STD BOX	0-50 Ω / 0-500 Ω / 0-5000 Ω	
Four Range				
EA01-1710000000000	FET-1	FET 1 STD BOX	0-1Ω / 0-10Ω / 0-100Ω / 0-1000Ω	7,085
EA01-1810000000000	FET-3	FET 3 STD BOX	0-3Ω / 0-30Ω / 0-300Ω / 0-3000Ω	
EA01-1910000000000	FET-10	FET 10 STD BOX	0-10Ω/0-100Ω/0-1000Ω/0-10000Ω	
Digital Earth Tester				
EA51-1011000000000	*AET 23 (w/o kit) EOL	Digital Earth Tester w/o kit	0-20Ω/0-200Ω/0-2000Ω	11,250
EA51-1010000000000	*AET 23 (with kit) EOL	Digital Earth Tester with kit	0-20Ω/0-200Ω/0-2000Ω	16,230
EA51-2010000000000	AECT 12	Digital Earth Clamp Tester	1200Ω	44,290

* Available till stocks last

\$ For productwise approbations, please contact local sales office

Earth Testers



Material Code	Model No	Description	Earth Resistance Range	LP (INR)
Earth & Continuity Testers – Analog				
ET Series (IS:9223) - Direct Indicating Type (Four Terminals)				
PC Body Single Range				
EA01-2210000000P00	SETP-3	SETP 3 STD BOX	0-3 Ω	4,300
EA01-2210000000P00	SETP-10	SETP 10 1M STD BOX	0-10 Ω	
EA01-2210000000P00	SETP-50	SETP 50 STD BOX	0-50 Ω	
EA01-2210000000P00	SETP-100	SETP 100 1M STD BOX	0-100 Ω	
EA01-2610000000P00	SETP-500	SETP 500 1M STD BOX	0-500 Ω	
PC Body Double Range				
EA01-2710000000P00	DETP-1	DETP 1 STD BOX	0-1 Ω / 0-10 Ω	4,560
EA01-2910000000P00	DETP-10	DETP 10 1M STD BOX	0-10 Ω / 0-100 Ω	
EA01-3010000000P00	DETP-20	DETP 20 STD BOX	0-20 Ω / 0-200 Ω	
EA01-3110000000P00	DETP-50	DETP 50 STD BOX	0-50 Ω / 0-500 Ω	
EA01-3210000000P00	DETP-100	DETP 100 STD BOX	0-100 Ω / 0-1000 Ω	
EA01-3310000000P00	DETP-500	DETP 500 STD BOX	0-500 Ω / 0-5000 Ω	
PC Body Triple Range				
EA01-3410000000P00	TETP-1	TETP 1 STD BOX	0-1 Ω / 0-10 Ω / 0-100 Ω	4,910
EA01-3510000000P00	TETP-3	TETP 3 STD BOX	0-3 Ω / 0-30 Ω / 0-300 Ω	
EA01-3610000000P00	TETP-5	TETP 5 STD BOX	0-5 Ω / 0-50 Ω / 0-500 Ω	
EA01-3710000000P00	TETP-10	TETP 10 STD BOX	0-10 Ω / 0-100 Ω / 0-1000 Ω	
EA01-3810000000P00	TETP-50	TETP 50 STD BOX	0-50 Ω / 0-500 Ω / 0-5000 Ω	

\$ For productwise approbations, please contact local sales office

Earth Testers & Low Resistance Meters



Material Code	Model No	Description	Earth Resistance Range	LP (INR)
Earth & Continuity Testers – Analog				
ET Series (IS:9223) - Direct Indicating Type (Four Terminals)				
PC Body Four Range				
EA01-3910000000P00	FETP-1	FETP-1	0-1Ω / 0-10Ω / 0-100Ω / 0-1000Ω	5,260
EA01-4010000000P00	FETP-3	FETP-3	0-3Ω / 0-30Ω / 0-300Ω / 0-3000Ω	
EA01-4110000000P00	FETP-10	FETP-10	0-10Ω/0-100Ω/0-1000Ω/0-10000Ω	

Material Code	Model No	Description	Resistance Range	LP (INR)
EA51-31000000000AG	AMT 13 NEW	Micro Ohm Tester	1μΩ to 300kΩ	37,185

\$ For productwise approbations, please contact local sales office



Accessories



Optional Accessories for Insulation/Earth/Continuity Testers		LP (INR)
ITS	Probe Assembly black for Polycarbonate Body	530
ITI/ ITI-V/ITHV/ITMR	Test Leads 1 Mtr Long	635
ITI/ ITI-V/ITHV/ITMR	Test Leads 3 Mtrs Long	880
ITS	Rexine Carrying Case	665
ITI/ ITI-V/ITHV/ITMR/ET	Rexine Carrying Case	
Kit of Earth Tester Models ET Series	Consisting of - 4 M.S. spikes length 45 cms each approx., 1 Spike Lifting Rod, 3 Rolls of flexible wire wound on Spool (30m app), 5m Loose Wire, 1 Hammer, 1 Rexine Carrying Case (Not as per IS Standard)	3,315
Re-calibration Charges with Certificate for ITS/ITS-V/ITI/ITI-V/ITHV/ITMR/ET Models		440
AIT 501 10m leads set		5,830
AIT 501 standard leads set		3,625

\$ For productwise approbations, please contact local sales office

Terms & Conditions

- This price list supersedes all previous editions.
- All prices are quoted in INR.
- Prices are subject to change without prior notice.
- Listed prices are exclusive of all applicable taxes and duties.
- Prices applicable will be those prevailing on the date of dispatch.
- Minimum order value criteria must be adhered to while placing orders.
- The company reserves the right to accept or reject any order at its discretion.
- For non-standard requirements, please contact the nearest Sales Office for technical feasibility, pricing, and delivery details.

Warranty

- All products listed in this price list carry a warranty of 18 months from the date of purchase or 12 months from the date of commissioning, whichever is earlier, against manufacturing defects, unless otherwise specified.

Notes

- To facilitate ordering, please use the product configurator.
- As part of our continuous product improvement efforts, specifications, technical information and pricing are subject to change without prior notice. Please connect with our Sales Office for the latest information.
- For detailed technical specifications, refer to the respective datasheets. Specifications provided in this price list are abbreviated for ease of reference. Product selection should be based on the latest datasheets.
- Product approvals mentioned in this price list are generic in nature. For product-specific approvals, please contact the nearest Sales Office.



RISHABH

We Measure The Future

RISHABH INSTRUMENTS LIMITED

Domestic (India): +91 253 2202099 | marketing@rishabh.co.in | www.rishabh.co.in